


Heze

furniture for every lifestyle



INTERNAL DOORS CATALOGUE



KANO
frame door leaf
p. 22-23

TABLE OF CONTENTS


INTERIOR DOOR LEAVES		
FRAME DOOR LEAVES		
▪ INFORMATION	10-13	
NON-REBATED FRAME DOOR LEAVES		
▪ LOFT	14-15	
COOLORS COLLECTION		
▪ RUMBA	16-17	
NON-REBATED/REBATED FRAME DOOR LEAVES		
▪ RUMBA	20-21	
▪ KANO NEW	22-23	
▪ FADO NEW	24-25	
▪ UVERO NEW	26-27	
▪ VARADERO NEW	28-29	
▪ PIANO	30-31	
▪ TAGO	32-33	
▪ VANILLA	34-35	
▪ ETNA	36-37	
▪ MEDIOLAN	38-39	
▪ MOBI	40-41	
▪ BERGAMO	42-43	
▪ EVI	44-45	
▪ KAMPO	46-47	
▪ VINCI	48-49	
▪ BELLO	50-51	
▪ KUBUS, LUPUS	52-53	
▪ MURANO	54-55	
▪ MARS	56-57	
▪ VICAR	58-59	
▪ TOLEDO	60-61	
▪ PRIX	62-63	
▪ LATINO	66-67	
▪ LUGO	68-69	
▪ NEUTRA	70-71	
▪ TIGA	72-73	
▪ TANGO	74-75	
▪ BRANDY	76-77	
▪ ROCCO	78-79	
▪ ZITRON	80-81	
▪ ANTARES	82-83	
REBATED FRAME DOOR LEAVES		
▪ DUO	84-85	
▪ DELLA	86-87	
PLATINIUM COLLECTION		
▪ INFORMATION	90-91	
▪ MODEL Q	92-93	
▪ MODEL X	94-95	
▪ MODEL Y	96-97	
▪ MODEL V	98-99	
GLASS DOOR LEAVES		
▪ MONO	100-101	
▪ VENTO II, VENTO IV, VENTO SPAGHETTI	102-103	
▪ PLATO	104-105	
PANEL DOOR LEAVES		
▪ INFORMATION	106-107	
▪ FULL PLAIN	108-109	
▪ REVERSE	110-111	
▪ SARA PRO	112-113	
▪ SARA PRO H220	114-115	
▪ DOOR FRAME, HIDDEN SYSTEM SARA PRO	116-117	
▪ MODERNO	118-119	
▪ MAGNETIC	120-121	
▪ LAMELO	122-123	
▪ FULL PLAIN H220	124-125	
▪ INTARSIA	126-129	
▪ PERLA	130-131	
▪ BULAJ	132-133	
▪ FOLDING	134-135	
VARNISHED DOOR LEAVES		
▪ PLAIN, TORINO	136-137	
▪ KORA, METRIX, SOFIA, MILANO, ALBA	138-139	
SLIDING SYSTEMS		
▪ SINGLE FRAMELESS CASSETTE	140-141	
▪ ALUMINIUM SINGLE POCKET SLIDING DOOR SYSTEM	142-143	
▪ ALUMINIUM DOUBLE POCKET SLIDING DOOR SYSTEM	144-145	
▪ SINGLE WALL-MOUNTED SLIDING SYSTEM	146-147	
▪ DOUBLE WALL-MOUNTED SLIDING SYSTEM	148-149	
▪ SYSTEM LOFT GLASS	150-151	
▪ SYSTEM LOFT LINE	152-153	
▪ WALL-MOUNTED ALUMINUM SYSTEM	154-155	
▪ MAGPLUS	156-157	
INTERIOR ENTRANCE DOORS		
▪ MAXUS RC2 NEW	158-161	
▪ SOLLER	162-165	
▪ SELVA	166-169	
▪ SELVA LACO	170-171	
▪ EXTENSION PANELS NEW	172-173	
▪ DOOR FRAME FOR: MAXUS RC2, SOLLER, SELVA	174-177	
▪ FIRE-RESISTANT INTER EI30, EI60	178-181	
▪ FIRE-RESISTANT INTER EI30, EI60 DOUBLE DOOR	182-183	
DOOR FRAMES		
▪ NON-REBATED ADJUSTABLE DOOR FRAME V-RETTO	184	
▪ NON-REBATED ADJUSTABLE DOOR FRAME V-RETTO 220	185	
▪ NON-REBATED FIXED DOOR FRAME	186	
▪ REVERSE DOOR FRAME	187	
▪ REBATED ADJUSTABLE DOOR FRAME V-RETTO STANDARD	188	
▪ REBATED ADJUSTABLE DOOR FRAME V-RETTO STANDARD 220	189	
▪ ADJUSTABLE STANDARD DOOR FRAME	190-191	
▪ CASING DOOR FRAME	192	
▪ FIXED DOOR FRAME	193	
▪ STEEL DOOR FRAME	194	
▪ TOP PANEL FOR V-RETTO AND REVERSE ADJUSTABLE FRAME	196	
▪ TOP PANEL FOR STANDARD ADJUSTABLE FRAME	197	
ACCESSORIES		
▪ OPENWORK, BAND 100 OR, PROTECTION PANEL, FLOOR MOULDING TRIMS, DECORATIVE LAMELLAS, DOOR HANDLES, HINGE COVERS, BLACK HINGES FOR REBATE DOORS LEAVES, VENTILATION SLEEVES, CYLINDERS, AUTOMATIC THRESHOLD, HOLDERS FOR SLIDING DOOR LEAVES, DOOR CLOSER, SYNCH TO THE SLIDING SYSTEM, SEALS, MASKING BANDS, QUARTER ROUNDS, ELECTRIC STRIKE	198-211	
TECHNICAL INFORMATION		212-225

TYPES OF COATING

PLATINIUM



Platinum: A foil with a polypropylene finish. Resistant to stains, scratches, and abrasion. Easy to clean, flexible. Exceptional print quality: a unique combination of embossing and printing, replicating the natural wood structure.



white matt



bianco



grau – similar to NCS: S2000-N**



cashmere



arctic oak



latte oak



Bawaria oak



clay – similar to NCS: S6020-Y90R**




copper



still **NEW**



carbon oak *



black matt

* decor available while stocks last
** no direct RAL/NCS 1:1 equivalent, the closest NCS equivalent is not 100% accurate

CPL



CPL: high resistance to abrasion, scratches, light. Wood structure.



caramel oak CPL **NEW**



aurea oak CPL **NEW**




polar oak CPL



ash CPL




sand oak CPL



oak CPL

3D



3D Foil: three-dimensional effect. A unique imitation of the appearance and texture of wood, not found in other products.



Norwegian oak



Canadian oak



Montana oak




white walnut



acacia morava




sonoma oak




Oregon oak



oil oak




silver oak FOL




Finish foil: Timeless design, matt finish.

COOLORS COLLECTION



* decor available while stocks last
** no direct RAL/NCS 1:1 equivalent, the closest NCS equivalent is not 100% accurate

EXPLANATION OF ICONS




ADVANTAGES – NON-REBATED FRAME DOOR LEAVES

high resistance to
mechanical impact

solid construction,
two concealed hinges 3D,
adjustable in three planes,
third hinge - optional at
extra charge



the door leaf flush with
the frame creates an
integrated, aesthetic
surface




tempered glass

magnetic lock – quiet
closing




no glazing bead



internal cross-section

solid, massive stiles
construction



rigid, stable structure



wooden dowels and stabilising fether



ADVANTAGES – REBATED FRAME DOOR LEAVES

high resistance to
mechanical impact

solid construction -
3 screw-in pintle
hinges



soft rebate, innovative
way to cover stiles: no
edge



tempered glass

no glazing bead



profile - brushed
aluminium



internal cross-section

solid, massive stiles
construction



rigid, stable structure



wooden dowels and stabilising fether



NON-REBATED FRAME DOOR LEAVE




CONSTRUCTION

- **NON-REBATED** FRAME DOOR LEAVE
- STILES MADE OF MDF BOARD

FINISH

- COVERED LEAF
- **FF** FINISH FOIL | - **3D** FOIL | - **CPL** LAMINATE | - **PP** PLATINIUM



HARDWARE

- TWO **CONCEALED HINGES** 3D SILVER OR BLACK
- **MAGNETIC LOCK** SILVER OR BLACK WITH KEY, CYLINDER LOCK OR BATHROOM LOCK
- BLACK HINGES AND BLACK LOCK AT NO EXTRA CHARGE



AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

- **VENTILATION UNDERCUT**
- **RECUPERATIVE SHORTCUT**
- **PVC VENTILATION SLEEVES** (not applicable to the COOLORS collection)
- **BRASS VENTILATION SLEEVES**
- **"100" DOOR LEAF** (for this leaf size, it is recommended to use a 3rd hinge)
- **AUTOMATIC THRESHOLD**
- **THIRD HINGE** (additional charge added to the door frame)
- **BLACK HINGE CAPS** (for door leaf and adjustable door frame)
- **DOUBLE-LEAF DOOR** leaf price x2 + surcharge
- **DARK GREY GLASS** (there is a smooth side and a matt side) available for models: TIGA, BRANDY, VINCI, MOBI, VANILLA, ETNA, BERGAMO
- **WHITE VSG GLASS** - safe glass, smooth on both sides
- **BLACK VSG GLASS** - safe glass, smooth on both sides
- **SLIDING DOOR LEAF (ACCORDING TO THE DIMENSIONS OF THE REBATED DOOR LEAVES),** additional charge added to the rebated leaf



REBATED FRAME DOOR LEAVES



CONSTRUCTION

- **REBATED** FRAME DOOR LEAVES
- STILES MADE OF MDF BOARD
- THE WIDTH OF VERTICAL STILES IS 14 CM

FINISH

- COVERED LEAF
- **FF** FINISH FOIL | - **3D** FOIL | - **CPL** LAMINATE | - **PP** PLATINIUM



HARDWARE

- THREE SCREW-IN **PINTLE HINGES**
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**




TECHNICAL INFORMATION P. 212 - 219




AVAILABLE OPTIONS AT AN EXTRA CHARGE

- **VENTILATION UNDERCUT**
- **RECUPERATIVE SHORTCUT**
- **PVC VENTILATION SLEEVES**
- **BRASS VENTILATION SLEEVES**
- **"100" DOOR LEAF**
- **AUTOMATIC THRESHOLD**
- **DOUBLE-LEAF DOOR** leaf price x2 + surcharge
- **DOOR LEAF IN THE SLIDING VERSION**
- **BLACK HINGES** for door leaf and adjustable as well as fixed reinforced door frame with socket (not applicable to Czech norm and UVERO, VARADERO, Q, X, Y, V MODELS)
- **DARK GREY GLASS** (there is a smooth side and a matt side) available for models: TIGA, BRANDY, MOBI, VINCI, VANILLA, ETNA, MODEL Q, MODEL X, MODEL Y, BERGAMO
- **WHITE VSG GLASS** - safe glass, smooth on both sides
- **BLACK VSG GLASS** - safe glass, smooth on both sides




LOFT


STANDARD




MAGNETIC LOCK




CONCEALED
HINGES




70/80/90
AVAILABLE
WIDTHS



TEMPERED GLASS
4 mm



TECH. INFO.
P. 212 – 219



CZECH
STANDARD DOES
NOT APPLY TO
LOFT 20, 30

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- "100" DOOR LEAF (not applicable to LOFT 20, 30)
- AUTOMATIC THRESHOLD
- THIRD HINGE (additional charge added to the door frame)
- BLACK HINGE CAPS for non-rebated doors
- VSG GLASS, LOFT 40, 50, 60, 70
- SLIDING DOOR LEAF

AVAILABLE DECORS:

FINISH – COVERED LEAF: PP PLATINIUM



black matt



white matt



Bawaria oak

(decor available
for LOFT 20, 30,
60, 70, 90)

LOFT 10, 40, 50 MDF MUNTINS IN LEAF COLOUR
PLACED ON GLASS SURFACE
LOFT 20, 30 WITH BLACK APPLICATION PAINTED
ON THE GLASS (colour of the application cannot
be changed).

POSSIBILITY OF MAKING A DOOR LEAF
FOR THE **LOFT LINE** SLIDING SYSTEM,
TECHNICAL INFORMATION P. 152-153.
THE LOFT COLLECTION ARE NOT AVAILABLE
FOR DOUBLE DOOR.



PRESENTED DECOR: WHITE MATT. NON-REBATED DOOR LEAF. V-RETTO FRAME.



LOFT 10
NON-REBATED
TRANSPARENT
GRAPHITE GLASS



LOFT 20
NON-REBATED
TRANSPARENT
GLASS, BLACK
APPLICATION




LOFT 30
NON-REBATED
TRANSPARENT
GLASS, BLACK
APPLICATION



LOFT 40
NON-REBATED
WHITE PAINTED
GLASS




LOFT 50
NON-REBATED
BLACK PAINTED
GLASS



LOFT 60
NON-REBATED
WHITE PAINTED
GLASS



LOFT 70
NON-REBATED
BLACK PAINTED
GLASS



LOFT 90
NON-REBATED
TRANSPARENT
GLASS



NON-REBATED
FRAME DOOR
LEAF

coolor's

RUMBA

STANDARD



MAGNETIC
LOCK



CONCEALED
HINGES



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE (additional charge added to the door frame)

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF



PRESENTED DECOR: PANAMA. NON-REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL




Havana



Bahama



Panama



RUMBA
NON-REBATED



RUMBA
NON-REBATED



RUMBA
NON-REBATED



caramel oak




A sweet touch of elegance






RUMBA


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




3
PINTLE
HINGES



60/70
80/90
AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGES for rebated doors
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF




PRESENTED DECOR: CASHMERE. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES - AT EXTRA CHARGE.

AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



RUMBA
REBATED



RUMBA
REBATED



RUMBA
REBATED



RUMBA
REBATED




RUMBA
REBATED




NEW

KANO


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




3
PINTLE
HINGES



60/70
80/90
AVAILABLE
WIDTHS



TECH. INFO.
P. 212 – 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: CPL LAMINATE, PP PLATINIUM







NEW

FADO


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




CONCEALED
HINGES




60/70
80/90
AVAILABLE
WIDTHS



3
PINTLE
HINGES



norm
PL/CZ



TECH. INFO.
P. 212 – 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGES for rebated doors
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: CPL LAMINATE, PP PLATINIUM



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGES – AT EXTRA CHARGE.



FADO
REBATED



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

NEW

UVERO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



2-PINTLE
HINGES



AVAILABLE
WIDTHS



norm
PL/CZ



TECH. INFO.
P. 212 - 219



UVERO 20
DARK GREY
GLASS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE COVERS for rebated door leaves

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF

WHITE VSG GLASS (UVERO 10)

BLACK VSG GLASS (UVERO 20)



PRESENTED DECOR: AUREA OAK. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGE COVERS - AT EXTRA CHARGE.


AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



caramel oak
CPL



aurea oak
CPL




polar oak
CPL



sand oak
CPL




oak CPL




white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak




clay



UVERO 10



UVERO 20
DARK GREY GLASS



Central panel made of black-colored board, the panel rebate has no edging, the front of the panel is covered with decor matching the color of the door leaf.



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

NEW

VARADERO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



2-PINTLE
HINGES



AVAILABLE
WIDTHS



norm
PL/CZ



TECH. INFO.
P. 212 - 219



VARADERO 20
DARK GREY
GLASS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE COVERS for rebated door leaves

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF (leaf price x2 + surcharge)

WHITE VSG GLASS (VARADERO 10)

BLACK VSG GLASS (VARADERO 20)

AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



caramel oak
CPL



aurea oak
CPL




polar oak
CPL




sand oak
CPL




oak CPL




white matt




bianco



arctic oak



grau



cashmere



latte oak




Bawaria oak



clay




PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGE COVERS - AT EXTRA CHARGE



VARADERO 10



VARADERO 20
DARK GREY GLASS



Central panel made of black-colored board, the panel rebate has no edging, the front of the panel is covered with decor matching the color of the door leaf.




NON-REBATED
 FRAME DOOR
 LEAF




REBATED
 FRAME DOOR
 LEAF

PIANO


STANDARD




MAGNETIC LOCK
 FOR NON-REBATED
 DOOR LEAVES




2
 CONCEALED
 HINGES




60/70
80/90
 AVAILABLE
 WIDTHS




i
 TECH. INFO.
 P. 212 - 219



TEMPERED
 GLASS
 4 mm



norm
PL/CZ



3

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- BLACK HINGES for rebated doors
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- VSG GLASS (applies only to white painted glass)
- NON-REBATED DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: PP PLATINIUM



white matt



grau



cashmere



Bawaria oak



clay



black matt




Stick-on muntins,
black or in leaf colour



PIANO 10
REBATED



PIANO 20
REBATED



PIANO 30
REBATED



PIANO 40
REBATED



PIANO 40
REBATED



PIANO 50
REBATED

The standard door leaf is made with a white painted glass and muntins in the colour of the door leaf. Changing the muntis colour to black or the type of glass to transparent does not affect the price.



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

TAGO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES




AVAILABLE
WIDTHS



PINTLE
HINGES



TECH. INFO.
P. 212 - 219



WIDTH OF THE VERTICAL
STILES AND TOP RAIL
160 mm, BOTTOM RAIL
200 mm. FILLING - DOOR
PANEL 16 mm.

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

BLACK HINGES for rebated doors

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



caramel oak
CPL



aurea oak
CPL



white matt



grau



cashmere




clay




black matt

STANDARD "OBSERVE" GLAZING



"REVERSE" CUSTOM GLAZING



TAGO 10


MIRROR
TAGO - GLASS ON
THE OBTVERSE SIDE -
STANDARD
TAGO 20 - GLASS ON
THE REVERSE SIDE



TAGO FULL



TAGO FULL




TAGO FULL



VANILLA

STANDARD



AVAILABLE OPTIONS AT AN EXTRA CHARGE


- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: BAVARIA OAK. NON-REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

ETNA

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

DARK GREY GLASS

BLACK VSG GLASS

WHITE VSG GLASS

NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: LATTE OAK. NON- REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH – COVERED LEAF: 3D FOIL,
CPL LAMINATE, PP PLATINIUM



ETNA 10
NON-REBATED



ETNA 20
NON-REBATED



ETNA 30
NON-REBATED



ETNA 40
NON-REBATED



ETNA 50
NON-REBATED



ETNA 60
NON-REBATED



ETNA 70
NON-REBATED

* decor available while stocks last




NON-REBATED
FRAME DOOR
LEAF




REBATED
FRAME DOOR
LEAF

MEDIOLAN


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




3
PINTLE
HINGES




60/70
80/90
AVAILABLE
WIDTHS




TECH. INFO.
P. 212 - 219



PINTLE
HINGES



3
norm
PL/CZ



MEDIOLAN 10
DARK GREY
GLASS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF




PRESENTED DECOR: BLACK MATT. NON-REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:


FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



Montana oak



acacia
morava



oil oak




Italian walnut



sand oak
CPL




white matt




black matt


DOOR FRAMES
AVAILABLE IN
BLACK MATT



MEDIOLAN 10
NON-REBATED



MEDIOLAN 20
NON-REBATED



MEDIOLAN 30
NON-REBATED

PANEL



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

MOBI

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

DARK GREY GLASS

BLACK VSG GLASS

WHITE VSG GLASS

NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: WHITE MATT. NON-REBATED DOOR LEAF. V-RETTO FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



MOBI 10
NON-REBATED



MOBI 20
NON-REBATED



MOBI 30
NON-REBATED



MOBI 40
NON-REBATED



MOBI 50
NON-REBATED



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

BERGAMO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

DARK GREY GLASS

BLACK VSG GLASS

WHITE VSG GLASS

NON-REBATED DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



PRESENTED DECOR: SAND OAK CPL. NON-REBATED DOOR LEAF, V-RETTO FRAME.



BERGAMO 10
NON-REBATED



BERGAMO 20
NON-REBATED



BERGAMO 30
NON-REBATED



BERGAMO 40
NON-REBATED



BERGAMO 50
NON-REBATED



BERGAMO 60
NON-REBATED



BERGAMO 70
NON-REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

EVI

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



TEMPERED
GLASS
4 mm



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



EVI 10
DARK GREY
GLASS



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

BLACK VSG GLASS

WHITE VSG GLASS

NON-REBATED DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: CPL LAMINATE,
PP PLATINIUM




polar oak
CPL



sand oak
CPL



oak CPL




white matt



bianco




arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



still



black matt




Heze DOORS

PRESENTED DECOR: GRAU. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD. BLACK HINGES - OPTION AT EXTRA CHARGE.



EVI 10
REBATED



EVI 10
REBATED



EVI 20
REBATED



EVI 30 **NEW**
REBATED



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

KAMPO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

BLACK VSG GLASS


NON-REBATED DOOR LEAF



PRESENTED DECOR: BLACK MATT. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD. BLACK HINGES - OPTION AT EXTRA CHARGE.



AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



white matt



grau



cashmere



clay



NEW

still



black matt



KAMPO 10
REBATED



KAMPO 20
REBATED



KAMPO 30
REBATED



KAMPO 40
REBATED



KAMPO 50
REBATED



KAMPO 60
REBATED



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

VINCI

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

DARK GREY GLASS

BLACK VSG GLASS

WHITE VSG GLASS


NON-REBATED DOOR LEAF




Heze DOORS

PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGES - AT EXTRA CHARGE.


AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




VINCI 10
REBATED



VINCI 20
REBATED



VINCI 30
REBATED



VINCI 40
REBATED



VINCI 50
REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

BELLO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS




PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF


AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL,
CPL LAMINATE, PP PLATINIUM




sonoma oak



oil oak**



Italian walnut



polar oak CPL



oak CPL



white matt




arctic oak**



grau



cashmere



latte oak



Bawaria oak



clay




PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.

TEMPERED GLASS 4 mm,
WIDTH 145 mm (fixed
dimension for all leaf
widths)



BELLO 10
REBATED



BELLO 20
REBATED

** decor available for rebated door leaves




NON-REBATED
FRAME DOOR
LEAF




REBATED
FRAME DOOR
LEAF

KUBUS, LUPUS


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




CONCEALED
HINGES




60/70
80/90
AVAILABLE
WIDTHS
"60" IS NOT
APPLICABLE TO THE
KUBUS MODEL




3
PINTLE
HINGES



norm
PL/CZ



TEMPERED
GLASS
4 mm



i
TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES AT EXTRA CHARGE.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM

							
white	graphite matt	Norwegian oak	Montana oak	acacia morava	sonoma oak	white walnut	Oregon oak
							
Alpin oak	Italian walnut	oil oak	antique oak*	Palermo walnut	anthracite	muscato walnut*	old oak*
							
caramel oak CPL	aurea oak CPL	polar oak CPL	ash CPL	sand oak CPL	oak CPL		
							
white matt	arctic oak	grau	cashmere	latte oak	Bawaria oak	clay	black matt

* decor available while stocks last



KUBUS „70”
REBATED



KUBUS „80”
REBATED



KUBUS „90”
REBATED

THE PROPORTIONS OF THE APPLICATION ON THE "70" WIDTH DOOR LEAF ARE SLIGHTLY DIFFERENT FROM APPLICATIONS ON THE "80" AND "90" DOOR LEAVES.



LUPUS REBATED
GLASS WITHOUT
APPLICATION



MURANO

STANDARD

MAGNETIC LOCK FOR NON-REBATED DOOR LEAVES

2 CONCEALED HINGES

3 PINTLE HINGES

60/70
80/90
AVAILABLE WIDTHS

TEMPERED GLASS 4 mm

TECH. INFO. P. 212 - 219

norm PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: MUSCATO WALNUT. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH – COVERED LEAF: **FINISH FOIL**, **3D FOIL**, **CPL LAMINATE**, **PP PLATINIUM**

white	graphite matt	Norwegian oak	Montana oak	sonoma oak	acacia morava**	Oregon oak	Italian walnut
oil oak	muscato walnut***	old oak***	NEW caramel oak CPL	NEW aurea oak CPL	polar oak CPL	sand oak CPL	oak CPL
bianco	arctic oak	grau	cashmere	latte oak	Bawaria oak	carbon oak *	
clay	black matt						



MURANO 10 REBATED



MURANO 20 REBATED



MURANO 30 REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

MARS

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



TEMPERED
GLASS
4 mm



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors


DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



Heze DOORS



PRESENTED DECOR: MONTANA OAK. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH – COVERED LEAF: **FINISH FOIL**,
3D FOIL, **CPL LAMINATE**, **PP PLATINIUM**



MARS 10
REBATED



MARS 20
REBATED



MARS 30
REBATED



MARS 40
REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

VICAR

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)


WHITE VSG GLASS

NON-REBATED DOOR LEAF



PRESENTED DECOR: GRAPHITE MATT. NON-REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



VICAR 10
REBATED



VICAR 20
REBATED



VICAR 30
REBATED



VICAR 40
REBATED



VICAR 50
REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

TOLEDO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS - height 141 mm


WHITE VSG GLASS - height 35 mm

NON-REBATED DOOR LEAF


AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL,
3D FOIL, CPL LAMINATE, PP PLATINIUM



white



Montana oak



acacia
morava**



sonoma oak



Italian walnut



oil oak



anthracite**



muscato
walnut***



polar oak
CPL




ash CPL**



sand oak
CPL



oak CPL



bianco



arctic oak




Bawaria oak




Heze DOORS

PRESENTED DECOR: OIL OAK. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD.




TOLEDO 10
REBATED



TOLEDO 20
REBATED



TOLEDO 30
REBATED



TOLEDO 40
REBATED



TOLEDO 50
REBATED

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

PRIX

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: OLD OAK. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH - COVERED LEAF: FINISH FOIL,
3D FOIL, CPL LAMINATE, PP PLATINIUM



PRIX 10
REBATED



PRIX 30
REBATED



PRIX 50
REBATED

* decor available while stocks last
** decor available for rebated door leaves



*An exclusive choice
for discerning tastes*

aurea oak




NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

LATINO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)


WHITE VSG GLASS

NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.


AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



white



Montana oak



acacia
morava**



sonoma oak



Italian walnut




oil oak



anthracite**



muscato
walnut***



polar oak
CPL




ash CPL**



sand oak
CPL



oak CPL



white matt



bianco



Bawaria oak




LATINO 10
REBATED



LATINO 20
REBATED



LATINO 30
REBATED



LATINO 40
REBATED



LATINO 50
REBATED



LATINO 60
REBATED



LATINO 70
REBATED

* decor available while stocks last
** decor available for rebated door leaves




NON-REBATED
FRAME DOOR
LEAF




REBATED
FRAME DOOR
LEAF

LUGO


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




CONCEALED
HINGES




60/70
80/90
AVAILABLE
WIDTHS




3
PINTLE
HINGES



norm
PL/CZ



TEMPERED
GLASS
4 mm



i
TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM

 <div>Norwegian oak</div>	 <div>Montana oak</div>	 <div>acacia morava</div>	 <div>sonoma oak</div>	 <div>Italian walnut</div>	 <div>oil oak</div>
 <div>anthracite</div>	 <div>old oak***</div>	 <div>polar oak CPL</div>	 <div>ash CPL</div>	 <div>sand oak CPL</div>	 <div>oak CPL</div>
 <div>bianco</div>	 <div>arctic oak</div>	 <div>Bawaria oak</div>			



LUGO 10



LUGO 20



LUGO 30



LUGO 40

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

NEUTRA

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS


NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: OAK CPL. REBATED DOOR LEAF, V-RETTO FRAME.


AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE



Italian walnut



anthracite



old oak*




ash CPL**



sand oak
CPL



oak CPL



PROFILE – BRUSHED
ALUMINIUM



NEUTRA 10



NEUTRA 20



NEUTRA 30



NEUTRA 40



NEUTRA 50

* decor available while stocks last
** decor available for rebated door leaves



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

TIGA

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS




PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

DARK GREY GLASS

WHITE VSG GLASS

NON-REBATED DOOR LEAF


AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE



Italian walnut



anthracite



old oak*




ash CPL



sand oak
CPL




oak CPL




PROFILE – BRUSHED
ALUMINIUM




PRESENTED DECOR: ANTHRACITE. REBATED DOOR LEAF, V-RETTO FRAME.




TIGA 10



TIGA 20



TIGA 30



TIGA 40

* decor available while stocks last



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

TANGO

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS




PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219



AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors


BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)


NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: BIANCO. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



Norwegian oak



Montana oak



acacia morava




sonoma oak



Italian walnut



oil oak



anthracite



old oak*



polar oak CPL



ash CPL



sand oak CPL



oak CPL



bianco




arctic oak




Bawaria oak


TEMPERED GLASS
(the glass
application on the
left door leaf is not
a mirror image of
the right door leaf)



TANGO 10



TANGO 20



TANGO 30



TANGO 40

• decor available while stocks last



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

BRANDY

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



2
CONCEALED
HINGES



60/70
80/90
AVAILABLE
WIDTHS



3
PINTLE
HINGES



TEMPERED
GLASS
4 mm



i
TECH. INFO.
P. 212 - 219



norm
PL/CZ

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: OLD OAK. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



BRANDY 10 BRANDY 20



BRANDY 30 BRANDY 40 BRANDY 50 BRANDY 60 BRANDY 70 BRANDY 80

* decor available while stocks last




NON-REBATED
 FRAME DOOR
 LEAF




REBATED
 FRAME DOOR
 LEAF

ROCCO


STANDARD





MAGNETIC LOCK
 FOR NON-REBATED
 DOOR LEAVES




2
 CONCEALED
 HINGES









60/70
80/90
 AVAILABLE
 WIDTHS



3
 PINTLE
 HINGES



TEMPERED
 GLASS
 4 mm



i
 TECH. INFO.
 P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE


















- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS:

FINISH – COVERED LEAF: **FINISH FOIL**,
 3D FOIL, **CPL LAMINATE**, **PP PLATINIUM**

						
white	Norwegian oak	Canadian oak	Montana oak	sonoma oak	acacia morava	Oregon oak
						
Alpin oak	Italian walnut	oil oak	Palermo walnut	anthracite	muscato walnut*	
						
NEW caramel oak CPL	NEW aurea oak CPL	polar oak CPL	ash CPL	sand oak CPL	oak CPL	
						
white matt	arctic oak	latte oak	Bawaria oak	carbon oak*		



ROCCO 10



ROCCO 20



ROCCO 30



ROCCO 40



ROCCO 50

• decor available while stocks last



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

ZITRON


STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF



Heze DOORS

PRESENTED DECOR: OREGON OAK. REBATED DOOR LEAF, V-RETTO FRAME.


AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




white



Norwegian
oak



Montana oak



acacia
morava



sonoma oak



Oregon oak




Italian walnut




oil oak



anthracite



muscato
walnut*




old oak*



polar oak
CPL




ash CPL



sand oak
CPL



oak CPL



bianco



arctic oak



Bawaria oak



ZITRON 10



ZITRON 20



ZITRON 30



ZITRON 40



ZITRON 50



ZITRON 60



ZITRON 70



ZITRON 80

* decor available while stocks last



NON-REBATED
FRAME DOOR
LEAF



REBATED
FRAME DOOR
LEAF

ANTARES

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



PINTLE
HINGES



TEMPERED
GLASS
4 mm



TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors


DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)


NON-REBATED DOOR LEAF

AVAILABLE DECORS:

FINISH – COVERED LEAF: **FINISH FOIL**,
3D FOIL, **CPL LAMINATE**



white



acacia
morava



oil oak




Italian walnut



muscato
walnut*




ash CPL




oak CPL



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.




ANTARES 10



ANTARES 20



ANTARES 30



ANTARES 40



ANTARES 50

* decor available while stocks last

DUO

STANDARD



PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGES

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

AVAILABLE DECORS:

FINISH – COVERED LEAF: **3D FOIL**,
CPL LAMINATE, **PP PLATINIUM**




Italian walnut



sand oak
CPL




white matt



arctic oak



latte oak



copper




black matt




Heze DOORS

PRESENTED DECOR: BLACK MATT/LATTE OAK. REBATED LEAF, V-RETTO FRAME. BLACK HINGES – AT EXTRA CHARGE.




DUO 10



DUO 20



DUO 20



DUO 20

DOOR FRAMES AVAILABLE IN BLACK MATT. DUO 10 - VERTICAL STILES ONLY IN BLACK MATT.

DELLA

STANDARD



PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGES

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF




PRESENTED DECOR: CANADIAN OAK. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES - AT EXTRA CHARGE.

AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



Norwegian
oak



Canadian oak



sonoma oak



Alpin oak



Paris



Italian walnut



Palermo walnut



NEW
caramel oak
CPL



NEW
aurea oak
CPL




polar oak
CPL




oak CPL




white matt



bianco



grau



cashmere



arctic oak



latte oak




clay



Bawaria oak



DELLA 10



DELLA 20



DELLA 30



DELLA 40



DELLA 50




DELLA 60





DELLA 70


still




Sophisticated design



PLATINIUM COLLECTION




ADVANTAGES – PLATINIUM REBATED FRAME DOOR LEAVES




CONSTRUCTION

- FRAME DOOR LEAF
- HORIZONTAL RAILS MADE OF MDF BOARD
- THE WIDTH OF VERTICAL STILES IS 14 CM
- SOFTWOOD VERTICAL STILES (TECHNICAL INFORMATION P. 215)




AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“




TECHNICAL INFORMATION

p. 212 - 219




AVAILABLE OPTIONS AT AN EXTRA CHARGE

- **VENTILATION UNDERCUT**
- **PVC VENTILATION SLEEVES**
- **BRASS VENTILATION SLEEVES**
- **"100" DOOR LEAF**
- **AUTOMATIC THRESHOLD**
- **DARK GREY GLASS AVAILABLE FOR MODELS: MODEL X, MODEL Q, MODEL Y**
- **DOUBLE-LEAF DOOR**
- **DOOR LEAF IN THE SLIDING VERSION**




FINISH

- COVERED LEAF: **PP PLATINIUM**



HARDWARE

- THREE ADJUSTABLE 2-PINTLE HINGES (BLACK HINGES NOT AVAILABLE)
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



GLAZING

- TEMPERED GLASS 4 mm
- **DOOR LEAF AVAILABLE IN CZECH NORM**

PP PLATINIUM

 <p>white matt</p>	 <p>bianco</p>	 <p>arctic oak</p>
 <p>grau</p>	 <p>cashmere</p>	 <p>latte oak</p>
 <p>Bawaria oak</p>	 <p>clay</p>	



REBATED
FRAME DOOR
LEAF

PLATINIUM

MODEL Q

STANDARD



2-PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

DOUBLE-LEAF DOOR

SLIDING DOOR LEAF (leaf price x2 + surcharge)

DARK GREY GLASS

WHITE VSG GLASS

BLACK VSG GLASS

BLACK HINGE COVERS

AVAILABLE DECORS: FINISH – COVERED LEAF: PP PLATINIUM



white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



Heze DOORS

PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.



MODEL Q 10



MODEL Q 20



MODEL Q 30



MODEL Q 40



MODEL Q 50



MODEL Q 60



MODEL Q 70



MODEL Q 80



REBATED
FRAME DOOR
LEAF

PLATINIUM

MODEL X

STANDARD



2-PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

DOUBLE-LEAF DOOR

SLIDING DOOR LEAF (leaf price x2 + surcharge)

DARK GREY GLASS

WHITE VSG GLASS

BLACK VSG GLASS

BLACK HINGE COVERS



PRESENTED DECOR: ARCTIC OAK. REBATED DOOR LEAF. V-RETTO FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: PP PLATINIUM



white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



MODEL X 10



MODEL X 20



MODEL X 30



MODEL X 40



MODEL X 50



MODEL X 60



MODEL X 70



REBATED
FRAME DOOR
LEAF

PLATINIUM

MODEL Y

STANDARD



2-PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD


DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF


WHITE VSG GLASS

BLACK HINGE COVERS

AVAILABLE DECORS: FINISH – COVERED LEAF: PP PLATINIUM




white matt




bianco




arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



Heze DOORS

PRESENTED DECOR: CASHMERE. REBATED DOOR LEAF, V-RETTO FRAME.



MODEL Y 10



MODEL Y 20



MODEL Y 30



MODEL Y 40



MODEL Y 50



MODEL Y 60



MODEL Y 70



REBATED
FRAME DOOR
LEAF

PLATINIUM

MODEL V

STANDARD



2-PINTLE
HINGES



TECH. INFO.
P. 212 - 219



AVAILABLE
WIDTHS



TEMPERED
GLASS
4 mm

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

WHITE VSG GLASS

BLACK HINGE COVERS

AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak




clay




Heze DOORS


PRESENTED DECOR: ARCTIC OAK. REBATED DOOR LEAF, V-RETTO FRAME.



MODEL V 10



MODEL V 20



MODEL V 30



MODEL V 40



MODEL V 50



REBATED
FRAME DOOR
LEAF



GLASS DOOR
LEAF

MONO

STANDARD



PINTLE
HINGES



TEMPERED
GLASS
8 mm



70/80/90
AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



Heze DOORS

PRESENTED DECOR: ACACIA MORAVA. REBATED DOOR LEAF, V-RETTO FRAME.


AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



white



Montana oak



acacia
morava



Italian walnut



Alpin oak




oil oak



Palermo
walnut



muscato
walnut*




old oak*




polar oak
CPL




ash CPL




oak CPL




white matt



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



black matt



MONO 10

*decor available while stocks last



REBATED
FRAME DOOR
LEAF



GLASS DOOR
LEAF

VENTO

STANDARD



PINTLE
HINGES



CZECH
STANDARD
APPLIES TO
VENTO II



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219




- VENTO IV, SPAGHETTI - SATIN, TEMPERED GLASS, THICKNESS 8 MM, GROUND EDGES
- VENTO II - TEMPERED GLASS, THICKNESS 8 MM, GROUND EDGES
- VENTO SPAGHETTI - TEMPERED GLASS (THE GLASS APPLICATION ON THE LEFT DOOR LEAF IS NOT A MIRROR IMAGE OF THE RIGHT DOOR LEAF)



Heze DOORS

PRESENTED DECOR: WHITE FF. GLAZING VENTO II. REBATED DOOR LEAF, V-RETTO FRAME.

AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



white



Montana oak



acacia
morava



Italian walnut



Alpin oak




oil oak



Palermo
walnut



muscato
walnut*



old oak*




polar oak
CPL




ash CPL




oak CPL



white matt



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



black matt



VENTO II



VENTO IV




VENTO SPAGHETTI

*decor available while stocks last



STANDARD




AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

HARDWARE:

RECTANGULAR VERSION

SOFT VERSION



PLATO TRANSPARENT „60“, „70“, „80“, „90“

PLATO WHITE „60“, „70“, „80“, „90“

PLATO GRAPHITE TRANSPARENT „60“, „70“, „80“, „90“



PLATO
WHITE

**PLATO GRAPHITE
TRANSPARENT**

NON-REBATED PANEL DOOR LEAF



CONSTRUCTION

- **NON-REBATED** DOOR LEAF
- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB" OR AS AN OPTION FOR AN ADDITIONAL CHARGE: "SOLID BOARD"

FINISH

- **COVERED HDF BOARDS**
 - FF FINISH FOIL
 - 3D FOIL
 - CPL LAMINATE
 - PP PLATINIUM
- **ABS EDGE** (Doors in the following decors: clay, copper, dark navy are covered with black ABS edge. The edge has no structure. There may be a slight colour difference between the edge and the door leaf surface.)



HARDWARE

- TWO CONCEALED HINGES 3D SILVER OR BLACK
- MAGNETIC LOCK WITH KEY, CYLINDER LOCK OR BATHROOM LOCK
- BLACK HINGES AND BLACK LOCK AT NO EXTRA CHARGE



AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE



- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- BLACK HINGE CAPS (for door leaf and non-rebated adjustable door frame)
- BLACK HINGE CAPS (for door leaf and adjustable reverse door frame)
- AUTOMATIC THRESHOLD
- THIRD HINGE (additional charge added to the door frame)
- REINFORCEMENT SOLID BOARD (third hinge recommended for non-rebated door leaves)
- PROTECTIVE PANEL INOX BOTTOM (two sides)
- PROTECTIVE PANEL INOX VENTILATION (two sides)
- PROTECTIVE PANEL INOX CENTRE (two sides)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR leaf price x2 + surcharge
- REINFORCEMENT FOR DOOR CLOSER

REBATED PANEL DOOR LEAF



CONSTRUCTION

- **REBATED** DOOR LEAF
- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB" OR AS AN OPTION FOR AN ADDITIONAL CHARGE: "SOLID BOARD"

FINISH

- **COVERED HDF BOARDS**
 - FF FINISH FOIL
 - 3D FOIL
 - CPL LAMINATE
 - PP PLATINIUM
 - HDF LAK
- door leaves in the following decor: clay, Paris – feature black edges



HARDWARE

- TWO SCREW-IN PINTLE HINGESE
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE



- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HINGES (for door leaf and adjustable as well as fixed reinforced door frame with socket)
- REINFORCEMENT SOLID BOARD
- PROTECTIVE PANEL INOX BOTTOM (two sides)
- PROTECTIVE PANEL INOX VENTILATION (two sides)
- PROTECTIVE PANEL INOX CENTRE (two sides)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR leaf price x2 + surcharge
- DOOR LEAF IN THE SLIDING VERSION
- REINFORCEMENT FOR DOOR CLOSER




NON-REBATED
PANEL
DOOR LEAF




REBATED
PANEL
DOOR LEAF

FULL PLAIN


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




CONCEALED
HINGES




PINTLE
HINGES




AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



"HONEYCOMB"
FILLING



norm
PL/CZ





AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER
- PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)
- PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)
- PROTECTIVE PANEL INOX CENTRE (TWO SIDES)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)



AVAILABLE DECORS:

FINISH – COVERED LEAF: **FINISH FOIL**, **3D FOIL**, **CPL LAMINATE**, **PP PLATINIUM**

							
white*	graphite matt	dark navy	Norwegian oak	Canadian oak	Montana oak	sonoma oak	silver oak FOL*
							
Alpin oak	Italian walnut	oil oak	pine*	Palermo walnut	Paris		
							
caramel oak CPL	aurea oak CPL	polar oak CPL	oak CPL	white matt	bianco	arctic oak	grau
							
cashmere	latte oak	Bawaria oak	clay	copper	still	black matt	

*decor not available for non-rebated door leaves




FULL PLAIN
REBATED




FULL PLAIN
NON-REBATED

REVERSE FULL


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




norm
PL/CZ




60/70
80/90
AVAILABLE
WIDTHS



"HONEYCOMB"
FILLING



TECH. INFO.
P. 212 - 219



























MODERNO WITH
SOLID BOARD
FILLING

AVAILABLE OPTIONS AT AN EXTRA CHARGE


- REVERSE DOOR LEAF (additional charge added to the rebated leaf)
- VENTILATION UNDERCUT (MODERNO – undercut is moved)
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES (not applicable to MODERNO)
- BRASS VENTILATION SLEEVES (full door leaves)
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE (additional charge added to the door frame)
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER (not applicable to MODERNO)
- STEEL VENTILATION GRILL (full plain door leaves)

AVAILABLE DECORS:







FINISH – COVERED LEAF: **FINISH FOIL**,
3D FOIL, **CPL LAMINATE**, **PP PLATINIUM**

 graphite matt	 dark navy	 Norwegian oak	 Canadian oak	 sonoma oak	 Alpin oak	 Italian walnut
 oil oak	 Palermo walnut	 Paris	 caramel oak CPL	 aurea oak CPL	 polar oak CPL	 sand oak CPL
 oak CPL	 white matt	 bianco	 arctic oak	 grau	 cashmere	 latte oak
 Bawaria oak	 clay	 copper	 black matt			

REVERSE DOOR OPENING DIRECTIONS








MODELS AVAILABLE IN REVERSE VERSION:

					
FULL PLAIN	INTARSIA 10	INTARSIA 20	INTARSIA 30	MODERNO	INTARSIA 50

PRICE OF THE
REVERSE DOOR
LEAF AS PER THE
CATALOG OFFER
+ ADDITIONAL
CHARGE

INTARSIA COLOURS
ACCORDING TO
CATALOGUE OFFER
PAGES 126 AND 128

				
INTARSIA 60	INTARSIA 70	INTARSIA 80	INTARSIA 90	INTARSIA 100

NON-REBATED
PANEL
DOOR LEAF

SARA PRO

FULL PLAIN FOR
THE HIDDEN SYSTEM

STANDARD




MAGNETIC
LOCK



CONCEALED
HINGES



AVAILABLE
WIDTHS



"HONEYCOMB"
FILLING



TECH. INFO.
P. 212 - 219


AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- ADDITIONAL CHARGE FOR THE THIRD HINGE
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- STEEL VENTILATION GRILL

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL,
3D FOIL, CPL LAMINATE, PP PLATINIUM



PRESENTED DECOR: PRIMER FOIL FOR PAINTING. A FULL PLAIN NON-REBATED DOOR LEAF WITH SARA PRO DOOR FRAME.
THE DOOR LEAF IS PAINTED IN THE SAME COLOUR AS THE WALL.



FULL PLAIN
NON-REBATED



NON-REBATED
PANEL
DOOR LEAF

SARA PRO H220

FULL PLAIN FOR
THE HIDDEN SYSTEM

STANDARD



MAGNETIC
LOCK



CONCEALED
HINGES



AVAILABLE
WIDTHS



REINFORCEMENT
SOLID BOARD



TECH. INFO.
P. 212 - 219

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

STEEL VENTILATION GRILL

AVAILABLE DECORS: FINISH - COVERED LEAF: **FINISH FOIL**,
3D FOIL, **CPL LAMINATE**, **PP PLATINIUM**



primer foil for painting or
wallpapering




white




graphite matt



dark navy



Canadian oak



Montana
oak



sonoma oak



Italian walnut



oil oak



Paris



sand oak
CPL



oak CPL




white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay




copper



black matt



Door leaf reinforced
with solid board



FULL PLAIN
NON-REBATED



FULL PLAIN
NON-REBATED

Heze DOORS



PRESENTED DECOR: PRIMER FOIL FOR PAINTING. A FULL PLAIN NON-REBATED DOOR LEAF WITH SARA PRO DOOR FRAME.
THE WALL ABOVE THE DOOR LEAF IS PAINTED IN THE SAME COLOUR AS THE DOOR LEAF DECOR.

SYSTEM SARA PRO

The **Sara Pro** door frame is dedicated for plain door leaves.

The **Sara Pro** hidden door frame is a unique and strong solution if you are looking for new trends in interior design. The high quality aluminium, rigid structure and improved installation system make this solution increasingly popular, while earning loyal proponents. Sara Pro is a single module-profile, separate for the external and internal system. Sara Pro fits into minimalistic rooms and aligns with the current trends.



SINGLE HIDDEN DOOR FRAME SARA PRO, INTERNAL,
EXTERNAL, FOR THE WIDTH: 60-90

ALUMINIUM

ANODE, PAINTED WHITE/BLACK

ALUMINIUM 220

ANODA 220, PAINTED WHITE/BLACK 220


ADDITIONAL CHARGE FOR THE THIRD HINGE FOR STANDARD HEIGHT



3D concealed hinges
Black frames are equipped with black hinges as standard. Frames in aluminum, anodized, or white-painted finishes are equipped with silver-colored hinges.




magnetic lock
– quiet closing




The door leaf
flush with the wall
creates an integrated,
aesthetic surface


SARA PRO EXTERNAL




SARA PRO INTERNAL



SARA PRO EXTERNAL




SARA PRO INTERNAL




minimum wall thickness 60 mm



SARA PRO 220 EXTERNAL



SARA PRO 220 INTERNAL





NON-REBATED
PANEL
DOOR LEAF



REBATED
PANEL
DOOR LEAF

MODERNO

FULL

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



MODERNO
- BLACK LACOBEL
GLASS



REINFORCE-
MENT SOLID
BOARD



AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

MOVED VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

AVAILABLE DECORS:

FINISH - COVERED LEAF: **FINISH FOIL**,
3D FOIL, **CPL LAMINATE**, **PP PLATINIUM**



dark navy



graphite matt



Norwegian
oak



Canadian oak



sonoma oak



Alpin oak



oil oak



Palermo
walnut




Paris



NEW
caramel oak
CPL




NEW
aurea oak
CPL



polar oak
CPL




sand oak
CPL**




white matt




bianco




arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



copper*



NEW
still




black matt

*decor not available for rebated door leaves
**decor not available for non-rebated door leaves



Door leaf reinforced
with solid board



LACOBEL GLASS GLUED TO HDF
BOARD, flush with the door leaf
surface, black



MODERNO
REBATED



NON-REBATED
PANEL
DOOR LEAF

MAGNETIC FULL

A new version of non-rebated doors. By using an innovative opening and closing system, we obtained a minimalistic and modern door design, without a traditional lock and handle. The door leaf is fitted with a magnetic stainless steel block, while the door frame is fitted with a system of strong magnets. The magnetic force causes the door to close silently and perfectly. For full door closing (locking), an option for an additional charge, small lock for bathroom or lock with cylinder lock should be used. Door leaf reinforced with solid board.

STANDARD



AVAILABLE
WIDTHS



CONCEALED
HINGES



TECH. INFO.
P. 212 - 219

REINFORCEMENT
SOLID BOARD

AVAILABLE OPTIONS AT AN EXTRA CHARGE

MOVED VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT (available only for MAGNETIC S)

CYLINDER LOCK

BATHROOM LOCK

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors (additional charge added to the door frame)

AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM




white matt



bianco



arctic oak



grau



cashmere



latte oak



Bavaria oak



clay



copper



black matt



magnetic system - door leaf, frame



cylinder lock



bathroom lock



MAGNETIC S



MAGNETIC L with long holder




PRESENTED DECOR: LATTE OAK. NON-REBATED DOOR LEAF, V-RETTO DEDICATED FRAME.


LAMELO

FULL


STANDARD




2 NEODYMIUM
MAGNETS




BLACK PINTLE
HINGES




AVAILABLE
WIDTHS




BLACK FINGER
PULL



TECH. INFO.
P. 212 - 219



REINFORCEMENT
FOR THE LAMELO
HOLDER



AVAILABLE OPTIONS AT AN EXTRA CHARGE

- MOVED VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HOOK LOCK
- REINFORCEMENT SOLID BOARD

AVAILABLE DECORS:

FINISH – COVERED LEAF: CPL LAMINATE,
PP PLATINIUM



polar oak
CPL



ash CPL



sand oak
CPL



oak CPL



white matt



bianco



arctic oak



latte oak



Bawaria oak



grau



cashmere



clay



copper



black matt



lamellas on both sides
of the leaf



lamella with
finger pull



hook lock with
blockade



Hook lock with
bathroom lock – pull
handle



neodymium
magnet



LAMELO



PRESENTED DECOR: BAVARIA OAK, NON-REBATED DOOR LEAF, DEDICATED DOOR FRAME.




NON-REBATED
PANEL
DOOR LEAF




REBATED
PANEL
DOOR LEAF

FULL PLAIN H220


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




3
CONCEALED
HINGES




2-PINTLE
HINGES (BLACK
HINGES NOT
AVAILABLE)



60/70
80/90
AVAILABLE
WIDTHS



3
TECH. INFO.
P. 212 - 219



SOLID BOARD
FILLING














AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGE COVERS for rebated doors
- PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)
- PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)
- PROTECTIVE PANEL INOX CENTRE (TWO SIDES)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR



PRESENTED DECOR: GRAPHITE MATT. PANEL DOOR LEAF, V-RETTO 220 DOOR FRAME.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM

 graphite matt	 dark navy	 Norwegian oak	 Canadian oak	 sonoma oak	 Alpin oak	 Italian walnut
 Palermo walnut	 oil oak	 Paris	 polar oak CPL	 oak CPL		
 white matt	 bianco	 arctic oak	 latte oak	 Bawaria oak	 grau	 cashmere
 clay	 copper	 still	 black matt			



Door leaf reinforced with solid board



FULL PLAIN
REBATED



FULL PLAIN
NON-REBATED



NON-REBATED
PANEL
DOOR LEAF



REBATED
PANEL
DOOR LEAF

INTARSIA FULL

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES




AVAILABLE
WIDTHS



PINTLE
HINGES



TECH. INFO.
P. 212 - 219



"HONEYCOMB"
FILLING

AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

VENTILATION UNDERCUT (INTARSIA 40 – undercut is moved)

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES (INTARSIA 40 – not available)

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGE CAPS for non-rebated doors

THIRD HINGE for non-rebated doors (additional charge added to the door frame)

BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

REINFORCEMENT SOLID BOARD (third hinge recommended)

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)



PRESENTED DECOR: PARIS. V-RETTO FRAME. BLACK HINGES - OPTION AT EXTRA CHARGE.

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



graphite matt



dark navy



Alpin oak



Italian walnut



Palermo walnut



Paris




caramel oak
CPL



aurea oak
CPL




polar oak
CPL



sand oak
CPL




white matt




bianco



arctic oak



grau



cashmere



Bawaria oak



clay



copper



black matt
(not available
for Intarsia 40)

Inlay width 6 mm
Colours:




black



silver



gold



INTARSIA 10



INTARSIA 10



INTARSIA 20



INTARSIA 20




INTARSIA 30



INTARSIA 30



INTARSIA 40



INTARSIA 40
board cover with black
matt decor



NON-REBATED
PANEL
DOOR LEAF




REBATED
PANEL
DOOR LEAF


INTARSIA

FULL


STANDARD




MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES




2
CONCEALED
HINGES




norm
PL/CZ




60/70
80/90
AVAILABLE
WIDTHS



2
PINTLE
HINGES



TECH. INFO.
P. 212 - 219



"HONEYCOMB"
FILLING

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HINGES for rebated doors
- BLACK HINGE CAPS for non-rebated doors
- THIRD HINGE for non-rebated doors (additional charge added to the door frame)
- REINFORCEMENT FOR DOOR CLOSER
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)




PRESENTED DECOR: PALERMO WALNUT, BLACK INLAY. STANDARD ADJUSTABLE FRAME. BLACK HINGES AT EXTRA CHARGE.


AVAILABLE DECORS:


FINISH – COVERED LEAF: **FINISH FOIL**, **3D FOIL**, **CPL LAMINATE**, **PP PLATINIUM**

 graphite matt	 dark navy	 Alpin oak	 Italian walnut	 Palermo walnut	 Paris
 caramel oak CPL	 aurea oak CPL	 polar oak CPL	 sand oak CPL		
 white matt	 bianco	 arctic oak	 grau	 cashmere	 Bawaria oak
 clay	 copper	 black matt			

Inlay width 8 mm
Colours:


black


silver


gold

INTARSIA 90 - when ordering a door leaf without drill for escutcheon, the inlay will not reach the handle


INTARSIA 50


INTARSIA 60


INTARSIA 70


INTARSIA 80


INTARSIA 90


INTARSIA 100



REBATED
PANEL
DOOR LEAF

PERLA

STANDARD



PINTLE
HINGES



TEMPERED
GLASS
4 MM




AVAILABLE
WIDTHS



norm
PL/CZ



TECH. INFO.
P. 212 - 219




"HONEYCOMB"
FILLING


AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- BLACK HINGES
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER
- STEEL VENTILATION GRILL
- DARK GREY GLASS
- VSG GLASS FOR PAINTED GLASS
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF


AVAILABLE DECORS: FINISH – COVERED LEAF: PP PLATINIUM



white matt



grau



cashmere



clay



Bawaria oak



black matt



Stick-on muntin, black or
in leaf color



PERLA 10



PERLA 20



PERLA 30



PERLA 40



PERLA 50

The standard door leaf is made with a white painted glass and muntins in the colour of the door leaf. Changing the muntins colour to black does not affect the price.



Heze DOORS

PRESENTED DECOR: GRAU. STANDARD ADJUSTABLE FRAME. BLACK HINGES AT EXTRA CHARGE.



NON-REBATED
PANEL
DOOR LEAF



REBATED
PANEL
DOOR LEAF

BULAJ

STANDARD



MAGNETIC LOCK
FOR NON-REBATED
DOOR LEAVES



CONCEALED
HINGES



PINTLE
HINGES




AVAILABLE
WIDTHS



norm
PL/CZ



TECH. INFO.
P. 212 - 219



"HONEYCOMB"
FILLING

AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

REINFORCEMENT SOLID BOARD (third hinge recommended)

AUTOMATIC THRESHOLD

"100" DOOR LEAF

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



white




graphite matt



dark navy



Norwegian
oak



Montana oak



sonoma oak




silver oak
FOL**




Alpin oak



Italian walnut



oil oak




Palermo
walnut



pine



sand oak
CPL



polar oak
CPL




oak CPL



white matt




bianco



arctic oak



latte oak



Bawaria oak




copper




black matt



BULAJ AVAILABLE WITH
WHITE OR TRANSPARENT GLASS



BULAJ 10 INOX white glass
BULAJ 20 INOX transparent glass



BULAJ 30 BLACK white glass
BULAJ 40 BLACK transparent glass


**decor not available for non-rebated door leaves

FOLDING


STANDARD




"HONEYCOMB" FILLING



STEEL PULL HANDLE




70/80/90 AVAILABLE WIDTHS




AVAILABLE OPTIONS AT AN EXTRA CHARGE

- REINFORCEMENT SOLID BOARD
- HOOK LOCK




SET WIDTH	A	B	C	D	E	F
	Door leaf width	Door leaf width	Door frame width for the installation of door leaves	Clear opening width in the door frame	External door frame width (without clearance for foam)	"80" band coverage width
"70"	418	318	748	726	770	908
"80"	518	318	848	826	870	1008
"90"	518	418	948	926	970	1108



AVAILABLE DECORS:

FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




white



graphite matt



dark navy




Norwegian oak



Canadian oak



Montana oak



sonoma oak




silver oak FOL



Alpin oak



Italian walnut



oil oak




pine



Palermo walnut



Paris



sand oak CPL



polar oak CPL



oak CPL



white matt



bianco



arctic oak



gruu



cashmere



latte oak




Bawaria oak



clay



copper



black matt



PRESENTED DECOR: CASHMERE.

ADJUSTMENT RANGES:

80-100

100-140

140-180

180-220

220-260

260-300

300-340

340-380

380-420

420-460

VARNISHED

STANDARD

60/70
80/90



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 – 219







norm
PL/CZ

- CONSTRUCTION
- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
 - STABILISING FILLING: "HONEYCOMB"
- FINISH
- VARNISHED HDF BOARD
 - DOOR LEAVES MADE IN THE FEELZKANT OPTION
 - A COLOR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND THE DOOR LEAF PANEL
- HARDWARE
- TWO SCREW-IN PINTLE HINGES
 - KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK
- GLAZING
- TEMPERED GLASS

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- REINFORCEMENT SOLID BOARD (third hinge required)
- AUTOMATIC THRESHOLD
- "100" DOOR LEAF
- BLACK HINGES for rebated doors
- REINFORCEMENT FOR DOOR CLOSER
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF

AVAILABLE DECORS: FINISH – COVERED LEAF: HDF LACQ.









white lacq.


whitened oak lacq.

silver oak lacq.

Scandinavian oak lacq.

"The doors designed as part of the project Modified standard segment panel doors for today, tomorrow, the day after tomorrow and many years under the Smart Growth Operational Programme 2014-2020, Sub-measure 3.2.1 Market research. The product design is the result of implementation on the market of the R&D work in the area of wood joinery manufacture technology in the form of interior entrance plain doors (standard segment) with significantly increased strength."

FULL



PRESENTED DECOR: WHITENED OAK. BLACK HINGES – AT EXTRA CHARGE.



Black glazing bead – width 50 mm

VARNISHED

STANDARD



AVAILABLE
WIDTHS



TECH. INFO.
P. 212 - 219



CONSTRUCTION

- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB"

FINISH

- VARNISHED HDF BOARD
- DOOR LEAVES MADE IN THE FEELZKANT OPTION
- A COLOR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND THE DOOR LEAF PANEL

HARDWARE

- TWO SCREW-IN PINTLE HINGES
 - KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK
- GLAZING - SATIN GLASS: KORA, SOFIA, MILANO, ALBA, METRIX

AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES (additional charge applies to room and full version door leaves)

STEEL VENTILATION GRILL

REINFORCEMENT SOLID BOARD (third hinge required)

AUTOMATIC THRESHOLD

"100" DOOR LEAF

BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)

PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)

PROTECTIVE PANEL INOX CENTRE (TWO SIDES)

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

FULL



PRESENTED DECOR: SILVER OAK.

AVAILABLE DECORS:


FINISH - COVERED LEAF: HDF
LACQ.




white lacq.



whitened oak
lacq.



silver oak
lacq.



Scandinavian
oak lacq.

KORA



GLAZED 5/5



GLAZED 2/5

METRIX



GLAZED 2/3



GLAZED 1/3

ALBA



GLAZED 4/4



GLAZED 2/4

SOFIA



GLAZED 3/3



GLAZED 1/3

MILANO



GLAZED 4/4



GLAZED 2/4

SINGLE FRAMELESS CASSETTE

The frameless cassette is a sliding system for doors hidden in the wall without using a masking trim for the plasterboard wall. The original form result in the very modern, slightly austere character of the design. This solution enables a modern and simple room design.



- Door leaf:
- Sliding door leaf in the non-rebated form
 - PVC door pull handle mounted in a color close to the door leaf decor

- Available options at an extra charge:
- Door closer
 - Round steel pull handle
 - Oval steel pull handle
 - Finger pull

Non-rebated sliding doors are not available with ventilation undercut. Ventilation sleeves are available.

Varnished non-rebated door leaves are made with edge in non-soft technology (there may be a slight colour difference).

NOTE: The door leaf cannot be installed and removed without disrupting the finished wall.




DIMENSIONAL TABLE [MM]								
Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C]	Cassette length [D]	Clear opening width after door frame installation [E]	Clear opening width before door frame installation [F]	Cassette depth after door frame installation [G]	Clear opening height [H]	Total system height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		




PRESENTED DECOR: WHITE MATT. MOBI 10.

SINGLE FRAMELESS CASSETTE	
FRAME DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 16–99
PANEL DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 108–109, 118–119, 126–129
VARNISHED DOOR LEAVES FULL PLAIN	Model prices according to the catalog offer + surcharge, p. 136





SINGLE POCKET SLIDING DOOR SYSTEM


The system for doors hidden in the wall, built-in with gypsum board in the configuration – single system. The system, entirely made of aluminum, allows the use of any type of non-rebated sliding door leaf (does not apply to glass door leaves).
When using a door leaf with a hook lock, choose a frame for G/K (plasterboard) with a hook lock strike. The cassette and frame for G/K with the strike plate should be installed on the finished floor.




Casing for the pocket sliding door system is available with 60 mm band



SINGLE CASSETTE G/K door leaf



PRESENTED DECOR: ASH. LUPUS MODEL.



Cassette G/K – single aluminium sliding system
Door closer

DIMENSIONAL TABLE [MM]								
Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C]	Cassette length [D]	Clear opening width after door frame installation [E]	Clear opening width before door frame installation [F]	Cassette depth after door frame installation [G]	Clear opening height [H]	Total system height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		


AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last

DOOR FRAME RANGE 125 – FIXED
DOOR FRAME RANGE (126-200) – SYMMETRIC*
DOOR FRAME RANGE (200-220) – ASYMMETRIC
DOOR FRAME RANGE (220-240) – ASYMMETRIC
DOOR FRAME RANGE (240-260) – ASYMMETRIC
DOOR FRAME RANGE (260-280) – ASYMMETRIC
DOOR FRAME RANGE (280-300) – ASYMMETRIC
DOOR FRAME RANGE (300-320) – ASYMMETRIC
DOOR FRAME RANGE (320-340) – ASYMMETRIC
DOOR FRAME RANGE (340-360) – ASYMMETRIC
DOOR FRAME RANGE (360-380) – ASYMMETRIC
DOOR FRAME RANGE (380-400) – ASYMMETRIC
DOOR FRAME RANGE (400-420) – ASYMMETRIC
DOOR FRAME RANGE (420-440) – ASYMMETRIC

* architrave tongue to be cut by oneself for the needed range.



SLIDING
SYSTEMS

DOUBLE POCKET SLIDING DOOR SYSTEM


The system for doors hidden in the wall, built-in with gypsum board in the configuration – double system. The system, entirely made of aluminum, allows the use of any type of non-rebated sliding door leaf (does not apply to glass door leaves).

When ordering a hook lock for double sliding doors, it is necessary to order a steel pull handle for the second door leaf and the strike plate.

Cassette G/K – double aluminium sliding system
Door closer
Synchronization to double system

No possibility of connecting synchronizer and door closers.

Casing for the pocket sliding door system is available with 60 mm band





DOUBLE CASSETTE G/K door leaf


DOOR FRAMES FOR THE DOUBLE POCKET SYSTEM



Door frame
joint: 45°



AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last

Heze DOORS



PRESENTED DECOR: WHITE MATT. PIANO 40.

DIMENSIONAL TABLE [MM]								
Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C']	Cassette pocket width [D]	Clear opening width without door frame [E']	Clear opening width without door frame [F']	Cassette pocket depth with door frame strips [G]	Clear opening height [Hp]	Total system height[H1]
644	2030	2575	640	1236	1295	653	2018	2115
744		2975	740	1436	1495	753		
844		3375	840	1636	1695	853		
944		3775	940	1836	1895	953		
1044		4175	1040	2036	2095	1053		

DOOR FRAME RANGE 125 – FIXED
DOOR FRAME RANGE (126-200) – SYMMETRIC*
DOOR FRAME RANGE (200-220) – ASYMMETRIC
DOOR FRAME RANGE (220-240) – ASYMMETRIC
DOOR FRAME RANGE (240-260) – ASYMMETRIC
DOOR FRAME RANGE (260-280) – ASYMMETRIC
DOOR FRAME RANGE (280-300) – ASYMMETRIC
DOOR FRAME RANGE (300-320) – ASYMMETRIC
DOOR FRAME RANGE (320-340) – ASYMMETRIC
DOOR FRAME RANGE (340-360) – ASYMMETRIC
DOOR FRAME RANGE (360-380) – ASYMMETRIC
DOOR FRAME RANGE (380-400) – ASYMMETRIC
DOOR FRAME RANGE (400-420) – ASYMMETRIC
DOOR FRAME RANGE (420-440) – ASYMMETRIC

* architrave tongue to be cut by oneself for the needed range.



SLIDING
SYSTEMS

SINGLE WALL-MOUNTED SYSTEM

This solution enables easy and quick installation of the guide rail and the door leaf without interfering with the existing walls.

The door leaf slides along the wall on the rail installed above the door opening or fitted to the lintel.

The system set includes: aluminium rail with the length of 200 cm (SN 200/100 kg), sliding carriages, installation components and masking strip. A single wall-mounted sliding system can be made with a masking strip with the length of 150 cm.

Sliding system (aluminium rail + masking strip, length 200 or 150 cm, for "100" door leaves, the system with the length of 220 cm is recommended) | FF | 3D | CPL | PP

Door leaf:

- Sliding door leaf in the non-rebated form.
- PVC door pull handle mounted in a colour close to the door leaf decor.


Available options at an extra charge:

- Adjustable frame "tunnel" price for standard adjustable frame and V-Retto standard, pp. 188, 190-191.
- Fender beam: | FF | 3D | CPL | PP
- Round steel pull handle
- Oval steel pull handle*
- Hook lock
- Finger pull (when ordering a hook lock, the finger pull is included in the price)
- Door closer


Varnished non-rebated door leaves are made with edge in non-soft technology (there may be a slight colour difference).

Non-rebated sliding doors are not available with ventilation undercut. Ventilation sleeves are available.

NON-REBATED LEFT DOOR LEAF (SLIDING TO THE LEFT)



NON-REBATED RIGHT LEAF (SLIDING TO THE RIGHT)



Round steel pull handle
colours: silver, black



Oval steel pull handle
colours: silver, black





finger pull
colours: silver, black




Hook lock + escutcheon
key/bathroom lock
colours: silver, black



WITH CASING - TUNNEL




DOOR CLOSER - slows down the movement of the door leaf in the final phase of closing, while sliding it gently towards the door frame. It increases the safety of use of the door and prevents the door leaf from hitting the beam. For interior door leaves, except for glass door leaves.




FENDER BEAM

universal





directional
version
(with hook
lock plate)





fender beam with seal
(right leaf = right
beam)
(left leaf = left
beam)

WITHOUT CASING



MASKING STRIP



PRESENTED DECOR: PALERMO WALNUT. ETNA 10.

FRAME DOOR LEAVES

Model prices according to the catalog offer + surcharge, p. 14-99


PANEL DOOR LEAVES,
GLAZED

Model prices according to the catalog offer + surcharge, p. 108-109, 118-119, 126-133

VARNISHED DOOR LEAVES
FULL PLAIN, GLAZED

Model prices according to the catalog offer + surcharge, p. 136-139

*a hook lock cannot be ordered with an oval holder



SLIDING
SYSTEMS

DOUBLE WALL-MOUNTED SYSTEM

This solution enables easy and quick installation of the guide rail and the door leaf without interfering with the existing walls.

The door leaf slides along the wall on the rail installed above the door opening or fitted to the lintel.

The system set includes: aluminium rail 2x200 cm length (SN 200/100 kg), sliding carriages, installation components and two-element masking strip.

It is possible to make a double wall-mounted sliding system with aluminium rail of length 2x150 cm.

Double sliding system (2x aluminum rail + two-elements masking strip)

FF | 3D | CPL | PP

Door leaf:

- Sliding door leaf in the non-rebated form.
- PVC door pull handle mounted in a color close to the door leaf decor.

Available options at an extra charge:

- Adjustable frame "tunnel" price for standard adjustable frame and V-Retto standard, pp. 188, 190-191.
- Round steel pull handle
- Oval steel pull handle*
- Hook lock
- Finger pull (when ordering a hook lock, the finger pull is included in the price)
- Door closer for each door leaf
- Synchronization to double system

No possibility of connecting synchronizer and door closers.




Varnished, non-rebated door leaves are made with a non-soft edge technology (slight colour differences may occur).

Non-rebated doors are not available with ventilation undercut. Ventilation sleeves available.


Models: Tango – the glass application on the left door leaf is not a mirror image of the right door leaf.

When ordering a hook lock for double sliding doors, a steel pull handle for the second door leaf and a strike plate must also be ordered.

WITH CASING – TUNNEL



WITHOUT CASING




*a hook lock cannot be ordered with an oval holder




PRESENTED DECOR: BLACK MATT. PIANO 10.

SYNCHRONIZATION TO DOUBLE SYSTEM




It synchronises the movement of door leaves in the double system: moving one of the door leaves of the system causes a symmetrical movement of the other door leaf.

For interior doors, excluding glass doors.



MASKING STRIP



Round steel pull handle
colours: silver, black



Oval steel pull handle
colours: silver, black



finger pull
colours: silver, black



Hook lock + escutcheon
key/bathroom lock
colours: silver, black

FRAME DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 14-99
PANEL DOOR LEAVES, GLAZED	Model prices according to the catalog offer + surcharge, p. 108-109, 118-119, 126-133
VARNISHED DOOR LEAVES FULL PLAIN, GLAZED	Model prices according to the catalog offer + surcharge, p. 136-139




SLIDING
SYSTEMS

SYSTEM LOFT GLASS

LOFT PURE GLASS - a system that combines high level of aesthetics and functionality, designed for internal sliding glass doors.
The use of the Loft Pure Glass system will not only optically enlarge the space, but also emphasise the unique, modern and elegant character of the interior, full of sunlight and space.

- Advantages of the system:**
- enables using glass panes in various finishes, which allows emphasising the individual character of the room, discreet separation, or integration with the overall interior design.
 - the system provides additional light to the space, while optically enlarging it
 - the colour of the hardware follows the latest trends in interior design
 - the use of the Loft Pure Glass system adds lightness, elegance and modern look and feel to the interior

Load capacity 70 kg



WHITE TRANSPARENT GLASS „80”, „90”

TRANSPARENT GRAPHITE GLASS „80”, „90”

SYSTEM LOFT PURE GLASS

HOLDER



holder

Heze DOORS



LOFT TRANSPARENT WHITE
LOFT TRANSPARENT GRAPHITE





SLIDING
SYSTEMS

SYSTEM LOFT LINE

The loft line collection includes systems inspired by loft-vintage aesthetics.

The exposed mechanics components of the system in dark varnish coating colour adds a unique industrial character to the interior.

The system is not applicable to Vento and Mono door leaves.

A tunnel cannot be installed.

Advantages of the system:

- Quiet and smooth movement thanks to bearing rollers
- Easy installation, enables setting the door in any position
- The varnish coating covering the guide rail and all components of the system is highly resistant to mechanical damage and also prevents dust accumulation.

Sliding system **LOFT LINE**


Sliding system **LOFT LINE XL**

Sliding system **DOUBLE LOFT LINE**

Sliding system **DOUBLE LOFT LINE XL**

Accessories for an additional charge:

- **Door closer**
- **Recessed door pull handle**
- **External pull handle**
- **The bottom rail** is mounted to the wall, the installation does not require drilling holes in the floor
- **The guide rail clamp** allows for the installation of the LOFT LINE double system
- **Guide rail bracket**




* roller available in two sizes
** applicable to LOFT door model

MAX. DOOR WEIGHT 100 kg

MAX. DOOR WIDTH 945 mm

GUIDE RAIL LENGTH 2000 mm

COATING COLOUR: BLACK MATT





SLIDING
SYSTEMS

WALL-MOUNTED ALUMINUM SYSTEM

Aluminum single wall-mounted sliding system.

The system does not apply to VENTO and MONO door leaves.

Description:

A system for interior doors that combines elegant design and smooth lines with a strong, rigid guide construction and unique SLX hardware. The rail is made of high-quality anodized aluminum.

It features:



- Pre-drilled mounting holes,
- Reinforced walls for stability and noise reduction,
- The “click” system allowing quick and easy installation of the masking strip as well as the wall-mounted profile directly onto the rail,
- A simple and intuitive installation system.

Maximum load capacity: 100 kg per door leaf.



No possibility to install a tunnel frame and fender beam.

Available option at an extra charge:


- A dust brush that can be used to cover the gap between the upper edge of the door and the masking strip. The brush is available in grey colour.



guide rail



PRESENTED DECOR: BLACK MATT, INTARSIA 70.





MAGPLUS

MAGPLUS system with concealed rail system

The system is available with a non-rebated panel door leaves MAG type.

The MAGPLUS sliding system includes a micrometric adjustment mechanism that allows for both vertical and horizontal adjustments to correct any wall irregularities.

For increased smoothness of movement, the system is equipped with a metal bottom rail.



DESIGNATION	DESCRIPTION	WIDTH		
		80	90	100
Ss	DOOR LEAF WIDTH	844	944	1044
So	WIDTH OF THE WALL OPENING	590	690	790
Hs	DOOR LEAF HEIGHT	2100	2100	2100
Ho	HEIGHT OF THE WALL OPENING	2000	2000	2000
L*	LENGTH OF THE TOP STRIP OF THE SYSTEM	841	941	1041
J*	LENGTH OF THE BOTTOM STRIP	671	771	871

* for self-trimming



PRESENTED DECOR: CLAY.

AVAILABLE DECORS:


FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, PP PLATINIUM




SYSTEM MAGPLUS
DOOR LEAF + PULL HANDLE SILVER OR BLACK
SOLID BOARD FILLING
BRASS VENTILATION SLEEVES

INTERIOR ENTRANCE DOORS

MAXUS RC2



The Maxus RC2 anti-burglary doors have an acoustic rating of $R_w=34$ dB (Basic), $R_w=39$ dB (Silence), as well as burglary resistance class RC2 according to PN_EN 1627:2021-11*. Maxus RC2 remains burglar-resistant only as a part of a complete set: the door leaf with a dedicated frame, a stainless steel threshold, handle and escutcheon (at least class 2), and a cylinder (at least class 4 anti-burglary resistance).



- INCLUDED IN THE DOOR SET:**
- DOOR LEAF
 - FIXED DOOR FRAME MADE OF GLUED LAMINATED TIMBER
 - STAINLESS STEEL THRESHOLD
- CONSTRUCTION:**
- REBATED DOOR LEAF
 - SOFTWOOD DOOR LEAF FRAME, COVERED WITH FOILED HDF BOARDS
 - DOOR LEAF THICKNESS 44 MM
 - FILLING WITH THREE COMBINED BOARDS (BASIC)
 - FILLING WITH THE SPECIAL ACOUSTIC BOARD (SILENCE)
 - FIXED DOOR FRAME MADE OF GLUED LAMINATED TIMBER
- FINISH**
- COVERED LEAF
 - 3D - 3D FOIL, - CPL LAMINATE, - PP PLATINIUM
- HARDWARE :**
- FOUR ADJUSTABLE 2-PINTLE HINGES
 - FIVE STEEL SECURITY BOLTS
 - BURGLAR-RESISTANT DOUBLE-HOOK ESPAGNOLETTE WITH BOTTOM LOCK
 - IN THE FRAME: MULTIPOINT STRIKE PLATE WITH MOVABLE PLATES FOR HOOK LOCKS
 - STAINLESS STEEL THRESHOLD
- THE ACOUSTIC ISULATION:**
- 39DB (BASIC), 39DB (SILENCE)

* MAXUS RC2 (BASIC) opens inward and outward
* MAXUS RC2 (SILENCE) opens inward



INTERIOR
ENTRANCE DOORS

MAXUS RC2

STANDARD



AVAILABLE WIDTHS:
"80", "90", "100"

AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

ONTARIO INOX HANDLE

ONTARIO BLACK HANDLE

MASKING BAND

SOFT MASKING BAND

WIDTH "100"

EXTENSION PANELS (page 172)

CYLINDER 30/40

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for the peephole

EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame


ACOUSTICS 39 DB (SILENCE)



Heze DOORS


PRESENTED DECOR: CLAY.

AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour RC2 doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 159 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.



* not available for the "100" width

INTERIOR ENTRANCE DOORS

SOLLER

3D HINGES
Ø 16



PEEPHOLE



SECURITY BOLTS



UPPER LOCK



BOTTOM LOCK



HANDLES AND ESCUTCHEONS
POLANKA



STAINLESS STEEL THRESHOLD






INTERIOR
ENTRANCE DOORS



- CONSTRUCTION**
- **REBATED** DOOR LEAF
 - GLUED LAMINATED TIMBER PROFILES
 - SOUND-ABSORBING BOARD
 - DOOR LEAF THICKNESS 44 MM

- FINISH**
- COVERED LEAF
 - **3D** - 3D FOIL



- HARDWARE**
- THREE 3D HINGES
 - TWO THREE-BOLT LOCKS
 - SECURITY BOLTS
 - STRIKE PLATE WITH ADJUSTMENT OF LEAF PRESSURE AGAINST THE DOOR FRAME



- AVAILABLE WIDTHS**
- THE "80N", "80N30", "80N40" SIZES ARE ONLY AVAILABLE FOR DOOR LEAVES IN COMBINATION WITH FIXED DOOR FRAME



- THE ACOUSTIC ISULATION 32 DB**
- NATIONAL TECHNICAL ASSESSMENT ITB-KOT-2020/1291 EDITION 1 (RW=32). THE ACOUSTIC INSULATION IS APPLICABLE TO SOLLER DOOR LEAVES WITH MDF DOOR FRAME.





INTERIOR
ENTRANCE DOORS

SOLLER

STANDARD



AVAILABLE WIDTHS:
"80", "80N", "80N30",
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES
ARE ONLY AVAILABLE FOR DOOR
LEAVES IN COMBINATION WITH
FIXED DOOR FRAME

AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

MDF DOOR FRAME BASE

MDF DOOR FRAME BEAM "80"-"100"

MDF ADJUSTABLE DOOR FRAME (page 177)

FIXED METAL FRAME (page 176)

ADJUSTABLE METAL DOOR FRAME (page 176)

MASKING BAND

SOFT MASKING BAND

WIDTH "100"

UPPER LOCK

POLANKA HANDLE (COLOUR: NICKEL, BLACK)

UPPER ESCUTCHEON POLANKA (COLOUR: NICKEL, BLACK)

CYLINDER 31/46 DMO

CYLINDERKNOB DMO

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for the peephole

VIDEO CAMERA – no drill for the video camera

AUTOMATIC THRESHOLD IN DOOR LEAF

STEEL THRESHOLD


EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame



PRESENTED DECOR: ITALIAN WALNUT.


AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL



Norwegian oak



sonoma oak



silver oak FOL



oil oak



Italian walnut



Palermo walnut

TWO-COLOUR DOOR LEAF:


We offer the option to purchase two-colour SOLLER doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 163 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.

DOOR SET:

door leaf – two locks + MDF frame + POLANKA handle and escutcheon + steel threshold + peephole (no drill for peephole) + cylinder and cylinderknob DMO

DOOR LEAF:


"80", "80N", "80N30",
"80N40" i "90"



INTERIOR ENTRANCE DOORS

SELVA 10, 20, LACO

DOOR CLOSER



3D HINGES



HINGE COVERS



SECURITY BOLTS




AUTOMATIC THRESHOLD




STAINLESS STEEL THRESHOLD



PEEPHOLE VIDEO CAMERA



UPPER LOCK



BOTTOM LOCK



HANDLES AND ESCUTCHEONS SHARK



INTERIOR
ENTRANCE DOORS



- CONSTRUCTION**
- REBATED DOOR LEAF
 - GLUED LAMINATED TIMBER PROFILES
 - STABILISING STEEL PROFILE
 - SOUND-ABSORBING BOARD
 - DOOR LEAF THICKNESS 44 MM

- FINISH**
- COVERED LEAF
 - CPL LAMINATE, PP PLATINIUM

- HARDWARE**
- THREE 3D HINGES
 - THREE-BOLT BOTTOM LOCK (TWO LOCKS SOLD IN A SET)
 - SECURITY BOLTS
 - STRIKE PLATE WITH ADJUSTMENT OF LEAF PRESSURE AGAINST THE DOOR FRAME

- EQUIPMENT**
- MDF DOOR FRAME
 - SEAL IN THE DOOR LEAF AND DOOR FRAME








- AVAILABLE WIDTHS**
- "80", "80N", "80N30", "80N40", "90", "100"
 - THE "80N", "80N30", "80N40" SIZES ARE ONLY AVAILABLE FOR DOOR LEAVES IN COMBINATION WITH FIXED DOOR FRAME



THE ACOUSTIC ISULATION 32 dB, 37 dB

National technical assessment ITB-KOT-2020/1291 edition 1 (rw=32).
National technical assessment ITB-KOT-2020/1291 edition 1 (rw=37).
The acoustic insulation is applicable to SELVA, SELVA 10, SELVA 20, SELVA LACO door leaves with mdf or metal door frame.





INTERIOR
ENTRANCE DOORS

SELVA

STANDARD



AVAILABLE WIDTHS:
"80", "80N", "80N30",
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES
ARE ONLY AVAILABLE FOR DOOR
LEAVES IN COMBINATION WITH
FIXED FOOR FRAME, TECH. INFO.
P. 166- 167

AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

MDF DOOR FRAME BASE

MDF DOOR FRAME BEAM "80"- "100"

MDF ADJUSTABLE DOOR FRAME (page 177)

FIXED METAL FRAME (page 176)

ADJUSTABLE METAL DOOR FRAME (page 176)

MASKING BAND

SOFT MASKING BAND

"100" DOOR LEAF

UPPER LOCK

SHARK HANDLE (COLOUR: INOX, BLACK)

UPPER ESCUTCHEON SHARK (COLOUR: INOX, BLACK) – mounting
holes for screws only when purchasing the complete set

CYLINDER 31/46 DMO

CYLINDERKNOB DMO

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for the
peephole

VIDEO CAMERA – no drill for the video camera

AUTOMATIC THRESHOLD IN DOOR LEAF

STEEL THRESHOLD

EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame

ACOUSTICS 37 DB (applicable to the door set or door leaf SELVA,
SELVA 10, SELVA 20, SELVA LACO)

AVAILABLE DECORS: FINISH – COVERED LEAF: CPL LAMINATE, PP PLATINIUM



DOOR SET:

set (door leaf – two locks + MDF frame + SHARK handle
and escutcheon + steel threshold + peephole (no drill
for peephole) + cylinder + cylinderknob DMO)



PRESENTED DECOR: BAWARIA OAK.

TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour SELVA doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 167 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.

Opening directions - outward
or inward.
The direction of opening is
determined by the choice of
cylinderknob.



SELVA



SELVA 10




SELVA 20

Inlay width
6 mm.
Black colour.



10



20



INTERIOR
ENTRANCE DOORS

SELVA LACO

STANDARD



AVAILABLE WIDTHS:
"80", "80N", "80N30",
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES
ARE ONLY AVAILABLE FOR DOOR
LEAVES IN COMBINATION WITH
FIXED DOOR FRAME

AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

MDF DOOR FRAME base

MDF DOOR FRAME beam "80"- "100"

MDF ADJUSTABLE DOOR FRAME (page 177)

MASKING BAND

FIXED METAL FRAME (page 176)

ADJUSTABLE METAL DOOR FRAME (page 176)

SOFT MASKING BAND

WIDTH "100"

UPPER LOCK

SHARK HANDLE (COLOUR: INOX, BLACK)

TOP ESCUTCHEON SHARK (COLOUR: INOX, BLACK) - moun-
ting holes for screws only when purchasing the complete set
CYLINDER 31/46 DMO

CYLINDERKNOB DMO

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) - no
drill for the peephole

VIDEO CAMERA - no drill for the video camera

AUTOMATIC THRESHOLD IN DOOR LEAF

STEEL THRESHOLD

EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame

ACOUSTICS 37 dB (applicable to the door set or door leaf
SELVA, SELVA 10, SELVA 20, SELVA LACO)



PRESENTED DECOR: LATTE OAK.

AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



DOOR SET:

set (door leaf - two locks + MDF frame + SHARK handle
and escutcheon + steel threshold + peephole (no drill
for peephole) + cylinder + cylinderknob DMO)

TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour SELVA
doors, available in the colours shown alongside. When
selecting decors, please specify the sides of the leaf:
obverse/reverse/edge, as shown on page 167 of the
catalogue. The door edge can be matched to the
obverse, reverse, or be black. The colour of the seal
applied to the door leaf will match the selected edge
colour. Door frames are only offered in a single decor.
The colour of the seal in the door frame will match the
colour of the frame.

Opening directions - outward or inward.
The direction of opening is determined
by the choice of cylinderknob.



SELVA LACO



LACOBEL GLASS GLUED TO
THE HDF BOARD, FLUSH WITH
THE DOOR LEAF SURFACE

EXTENSION PANELS

FOR INTERNAL ENTRANCE DOORS




SELVA DOORS IN BLACK MATT, ALONG WITH SIDE AND TOP EXTENSION PANELS IN BLACK MATT.

AVAILABLE DECORS:



FINISH – PANEL OKLEJONY: 3D FOIL, CPL
LAMINATE, PP PLATINIUM




TOP PANEL - FIXED DOOR FRAME FOR SOLLER, SELVA DOORS



TOP PANEL - ADJUSTABLE FRAME FOR DOORS SOLLER, SELVA




TOP PANEL - FIXED FRAME FOR MAXUS RC2 DOORS



Example of selecting the dimensions for the top panel and side panels: for a door width of 90 cm: 1028 mm + left panel 200 mm + right panel 300 mm = top panel 1528 mm.

DOOR FRAME FOR MAXUS RC2


FIXED DOOR FRAME MADE OF GLUED
LAMINATED TIMBER



DIMENSION	A	B	C	D	E	F
	Clear opening width in the door frame	Total door leave width	External door frame width	Clear opening height (without threshold)	Total door leaf height	External door frame height
80	818	860	926	2014	2030	2068
90	918	960	1026	2014	2030	2068
100	1018	1060	1126	2014	2030	2068

DOOR FRAME FOR SOLLER, SELVA

MDF FIXED DOOR FRAME



*APPLICABLE TO THE SELVA DOOR LEAF (STEEL REINFORCEMENT)

DIMEN- SION	A	B	C	D	E	F	G	H	I	J
	Clear opening width in the door frame	Door frame internal width (space for the door leaf)	Internal door leaf width	Total door leave width	External door frame width	Door frame internal height (space for the door leaf)	Clear opening height (without threshold)	Door leaf height (floor to rebate)	Total door leaf height (from the floor)	External door frame height
80N30	774	796	790	816	862	2029	2018	2026	2039	2062
80N40	774	796	790	816	862	1939	1928	1936	1949	1972
80N	774	796	790	816	862	1982	1971	1979	1992	2015
80	818	840	834	860	906	2029	2018	2026	2039	2062
90	918	940	934	960	1006	2029	2018	2026	2039	2062
100	1018	1040	1034	1060	1106	2029	2018	2026	2039	2062

DOOR FRAME
FOR SOLLER,
SELVA

METAL DOOR FRAMES

I. FIXED DOOR FRAME






80-90
100

II. ADJUSTABLE DOOR FRAME

Adjustable steel door frames 80-90
95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305


Adjustable steel door frames 100
95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305

AVAILABLE DECORS:





DOOR FRAME FOR
SOLLER, SELVA

MDF ADJUSTABLE DOOR FRAME



The base board is not flush with the wall. During installation, the base board must be fitted together with the fixed architrave.




DIMEN- SION	A Clear opening width in the door frame	B Width from rebate to rebate	C Total door frame width (without clearance for foam)	D Clear opening in the door frame	E Total set width (with 80 mm band)	F Total set width (with 80 mm band)
80	818	840	906	818	1053	1033
90	918	940	1006	918	1153	1133
100	1018	1040	1106	1018	1253	1233

INTERIOR ENTRANCE DOORS

INTER EI30, EI60 FIRE-RESISTANT

DOOR CLOSER



3D HINGES




PEEPHOLE



LOCK



UNO HANDLE



AHW HANDLE



AUTOMATIC THRESHOLD



STAINLESS STEEL THRESHOLD



The fire protection, smoke protection and acoustic insulation functions are only ensured by the installation of the complete set, which includes: fire protection door leaf (factory-fitted with acoustic seal, hinges, lock, automatic threshold), wooden door frame (with fire-proof, intumescent-smoke-proof and acoustic seal), metal threshold, door closer and an cylinder and handle meeting the requirements of the Polish Norm.



CONSTRUCTION

- REBATED DOOR LEAF
- SOFTWOOD PROFILE
- DOOR LEAF THICKNESS EI30 – 50 mm, EI60 – 60 mm
- FILLING WITH THE SPECIAL HALSPAN BOARD
- FIRE SEAL
- SMOKE SEAL
- AUTOMATIC THRESHOLD

FINISH



- COVERED LEAF
 - 3D FOIL, - CPL LAMINATE, - PP PLATINIUM

HARDWARE

- FOUR HINGES 3D (EI 30)
- FOUR HINGES 3D (EI 60)
- BOTTOM LOCK

EQUIPMENT

- WOODEN DOOR FRAME
- SEAL IN THE DOOR LEAF AND DOOR FRAME



	A	B	C	D	E	F	G	H	I	J
DIMENSION	Clear opening width in the door frame	Door frame internal width (space for the door leaf)	Internal door leaf width	Total door leave width	External door frame width (without clearance for foam)	Door frame internal height (space for the door leaf)	Clear opening height (without threshold)	Door leaf height (floor to rebate)	Total door leaf height (from the floor)	External door frame height (without clearance for foam)
EI 30 "90"	918	942	934	960	1026	2026	2014	2022	2035	2068
EI 30 "100"	1018	1042	1034	1060	1126					
EI 60 "90"	920	944	934	960	1028	2026	2014	2022	2035	2068
EI 60 "100"	1020	1044	1034	1060	1128					



INTERIOR
ENTRANCE DOORS

INTER EI30, EI60

EI 30 – National Technical Assessment ITB-KOT-2018/0407 edition 1
Edition 1 and National Certificate of Constancy of Performance No.
020-UWB-0567/W.

EI 60 – National Technical Assessment ITB-KOT-2018/0407 edition 1.
The door leaf and door frames are suitable for installing a door closer.

Acoustic insulation rating $R_w=32$ dB.

AVAILABLE OPTIONS AT AN EXTRA CHARGE

CYLINDER HEKTOR

UNO HANDLE (COLOUR: NICKEL, BLACK)

ESCUTCHEON UNO (COLOUR: NICKEL, BLACK)

WIDTH "100"

UPPER LOCK

AHW HANDLE

AHW ESCUTCHEON

DOOR CLOSER

FIRE-RATED PEEPHOLE (no drill for the peephole)

STAINLESS STEEL THRESHOLD WITH SEAL



Heze DOORS

PRESENTED DECOR: WHITE MATT.

AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM






* not available for the "100" width



INTER EI30, EI60 DOUBLE DOOR

AVAILABLE OPTIONS AT AN EXTRA CHARGE

- CYLINDER HEKTOR
- UNO HANDLE (COLOUR: NICKEL, BLACK)
- ESCUTCHEON UNO (COLOUR: NICKEL, BLACK)
- AHW HANDLE
- ESCUTCHEON AHW
- DOOR CLOSER
- FIRE-RATED PEEPHOLE (no drill for the peephole)
- STAINLESS STEEL THRESHOLD WITH SEAL



DIMEN- SION	A	B	C	D	E	F	G	H
	Clear opening width in the door frame	Total door frame width (without clearance for foam)	Total door leaves width (with 3 mm clearance)	Internal door leaves width	Total active door leaf width	Total passive door leaf width	External door frame height (without clearance for foam)	Total door leaf height
130	1366	1474	1410	1384	960	460	2062	2030
140	1466	1574	1510	1484	960/1060	560/460	2062	2030
150	1566	1674	1610	1584	960/1060	660/560	2062	2030
160	1666	1774	1710	1684	960/1060	760/660	2062	2030
170	1766	1874	1810	1784	960/1060	860/760	2062	2030
180	1866	1974	1910	1884	960/1060	960/860	2062	2030


AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



* not available for the "100" width




PRESENTED DECOR: WHITE MATT.





- The prices are applicable to door frames with the width of "60" – "100"
- Door frame band width – 80 mm
- Additional charge: Door frames for double-leaf doors, price +30%, not applicable to the MAGNETIC and LOFT collections.
- Price of tunnel door frame = price of door frame V-Retto Standard (p. 188)
- Third hinge. When choosing the door in size "100", it is recommended to use a 3rd hinge


*** Architrave 80X45 mm.**
Additional charge: for a double-leaf frame +30%
Door frames in higher ranges available in B2B panel



non-rebated door leaves in norm CZ are 26 mm wider
(tech. info., p. 214)



- decor available while stocks last




- decor available while stocks last

NON-REBATED

FIXED


DOOR FRAME



Left, right base
Upper beam "60" - "100"
Base for double door
Beam for double door
Masking band 60x8x5500 mm
Masking band 70x12x5500 mm
Quarter round 18x18 mm
Masking band 60x8 mm for double door
Masking band 70x12 mm for double door
Quarter round 18x18 mm for double door

Additional charge: Third hinge
When choosing the door in size "100", it is recommended to use a 3rd hinge.

Non-rebated door leaves in norm CZ are 26 mm wider (tech. info., p. 214)




Door frame joint: 90°

REVERSE


NON-REBATED ADJUSTABLE

DOOR FRAME



ADJUSTMENT RANGES
70-90
90-130
130-170
170-210
210-250
250-290
290-330
330-370
370-410
410-450

One-element door frames:
 70-90 do 250-290
 Two-element door frames:
 290-330 do 410-450




Additional charge: Third hinge
Door frames in higher ranges available in B2B panel

AVAILABLE DECORS: FINISH – FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last

AVAILABLE DECORS: FINISH – FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



Door frame joint: 90°

V-RETTO STANDARD REBATED ADJUSTABLE DOOR FRAME



Door frame
joint: 90°

Ranges of non-rebated adjustable
door frame V-Retto:

FF, 3D, CPL, PP

One-element door frames:

80-100 to 300-340

Two-element door frames:



340-380 to 420-460

- The prices are applicable to door frames with the width of "60" – "100"
- Door frame band width – 80 mm
- Additional charge: Door frames for double-leaf doors, price +30%
- V-Retto = door frame connection at the angle of 90° + 80 mm band

ADJUSTMENT RANGES

80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

***Architrave 80X45 mm**
Additional charge: for a double-leaf frame +30%
Door frames in higher ranges available in B2B panel





AVAILABLE DECORS: FINISH – FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



*decor available while stocks last

V-RETTO STANDARD 220H REBATED ADJUSTABLE DOOR FRAME




ADJUSTMENT RANGES

80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

***Architrave 80X45 mm**
Additional charge: for a double-leaf frame +30%
Door frames in higher ranges available in B2B panel

AVAILABLE DECORS: FINISH – FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



ADJUSTABLE REBATED

STANDARD

DOOR FRAME



- The prices are applicable to door frames with the width of "60" - "100"
- Additional charge: Door frames for double-leaf doors, price +30%
- Door frames in higher ranges than 420 mm available in the B2B panel.
- Price of tunnel door frame = price of asjustable door frame
- Door frame for glass door leaf - there is a difference compared to standard adjustable door frames - it is necessary to take into account the type of door frame in the order.

ARCHITRAVE 60x45 mm ADJUSTMENT RANGES
60-80
80-100
100-120
120-140
140-160
160-180
180-200
200-220
220-240
240-260
260-280
280-300
300-320
320-340
340-360
360-380
380-400
400-420

Additional charge: frames for PLATO door leaves, double-leaf frame +30%.

Door frames in higher ranges available in the B2B panel.

ARCHITRAVE 80x65 mm ADJUSTMENT RANGES
80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420

Additional charge: double-leaf frame +30%

* Architrave 80x45 mm

Door frames in higher ranges available in the B2B panel.




ARCHITRAVES – BAND WIDTH 60 mm
architrave for adjustable door frame 3D FF 60x45 mm or 60x65 mm
architrave for adjustable door frame CPL, V-PLATINIUM 60x45 mm lub 60x65 mm
ARCHITRAVES – BAND WIDTH 80 mm
architrave for adjustable door frame 3D FF 80x45 mm lub 80x65 mm
architrave for adjustable door frame CPL, V-PLATINIUM 80x45 mm lub 80x65 mm

The architrave can only be ordered as a separate item.






Door frame joint: 45°

Ranges of adjustable door frames:
FF, 3D, CPL, PP
One-element door frames: 80-100 to 300-320
Two-element door frames: 320-340 to 400-420



There may be a slight colour difference between the frames and the varnished leaves



Door frames above the 460 mm range are available on individual request.

AVAILABLE DECORS:

FINISH – FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




* decor available while stocks last

CASING

DOOR FRAME

FOR STEEL DOOR FRAMES



568/668/768/868/968

592/692/792/892/992

624/724/824/924/1024

735/835/935/1035/1135

55,5

60

80

ADJUSTMENT RANGES

30

2085

2040


2029

2001

10

The installation of the casing door frame results in a reduction of the clear opening. Before installing the handles and escutcheons, their width should be checked with the door leaf closed.

There may be a slight colour difference between the frames and the varnished leaves.



ADJUSTMENT RANGES

For steel frame inst. 60 mm set (60-80)

For steel frame inst. 80 mm set (80-100)

For steel frame inst. 100 mm set (100-120)

For steel frame inst. 120 mm set (120-140)

For steel frame inst. 140 mm set (140-160)

For steel frame inst. 160 mm set (160-180)

For steel frame inst. 180 mm set (180-200)

For steel frame inst. 200 mm set (200-220)

For steel frame inst. 220 mm set (220-240)

For steel frame inst. 240 mm set (240-260)

For steel frame inst. 260 mm set (260-280)

For steel frame inst. 280 mm set (280-300)

For steel frame inst. 300 mm set (300-320)

For steel frame inst. 320 mm set (320-340)

For steel frame inst. 340 mm set (340-360)

For steel frame inst. 360 mm set (360-380)

For steel frame inst.380 mm set (380-400)

For steel frame inst. 400 mm set (400-420)

Door frames above the 420 mm range available in B2B panel

AVAILABLE DECORS:

FINISH – FRAME COVERED:

FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM

white

graphite matt

dark navy

Norwegian oak

Canadian oak

Montana oak

sonoma oak

white walnut

acacia morava

silver oak FOL

Scandinavian oak

Oregon oak

Alpin oak

oil oak

Italian walnut

antique oak*

Palermo walnut

Paris

anthracite

muscato walnut*

old oak*

polar oak CPL

ash CPL

sand oak CPL

NEW caramel oak CPL

NEW aurea oak CPL

oak CPL

white matt

bianco

arctic oak

grau

cashmere

latte oak

Bawaria oak

clay

copper

carbon oak*

NEW still


black matt

* decor available while stocks last

FIXED

DOOR

FRAME



644, 744, 844, 944, 1044

618, 718, 818, 918, 1018

44

602, 702, 802, 902, 1002

690, 790, 890, 990, 1090 (dimension without clearance for foam)

44

90

44


2018

2040

2063 (dimension without clearance for foam)

10

Door frame joint: 45°



Standard adjustable two-pintle hinge

Black hinges available only in reinforced door frame with sockets

Socket – hinge reinforcement

FIXED DOOR FRAME

Left, right base

Reinforced base (sockets)

Reinforced base (sockets) Plato door leaf

Upper beam "60" - "100"

Base for double-leaf frame

Reinforced base (sockets) for double-leaf frame

Upper beam for double door

Masking band 60x8x5500 mm

Masking band 70x12x5500 mm

Masking band 60x8 mm for double door

Masking band 70x12 mm for double door

Quarter round 18x18 mm

Quarter round 18x18 mm for double door

There may be a slight colour difference between the frames and the varnished leaves

AVAILABLE DECORS:

FINISH – FRAME COVERED:

FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM

white

graphite matt

dark navy

Norwegian oak

Canadian oak

Montana oak

sonoma oak

white walnut

acacia morava

silver oak FOL

Scandinavian oak

Oregon oak

Alpin oak

pine

oil oak

Italian walnut

antique oak*

Palermo walnut

Paris

anthracite

muscato walnut*

old oak*

polar oak CPL

ash CPL

NEW caramel oak CPL

NEW aurea oak CPL

oak CPL

white matt

bianco

arctic oak

grau

cashmere

latte oak

Bawaria oak

clay

copper

carbon oak*



NEW still

black matt

* decor available while stocks last



STEEL DOOR FRAME FOR INTERIOR LEAVES

ADJUSTABLE




ADJUSTABLE DOOR FRAME
95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305
305 - 335
335 - 365

FIXED




FIXED DOOR FRAME
"80"- "90"
"100"


AVAILABLE COLOURS:




RAL 9016



RAL 7047



RAL 7024





RAL 9005





TOP PANELS FOR V-RETTO AND REVERSE ADJUSTABLE FRAMES



TOP PANELS FOR STANDARD ADJUSTABLE FRAMES



AVAILABLE DECORS:



AVAILABLE DECORS:



OPENWORK

FOR SLIDING DOORS




Openwork – decorative panel made of powder-coated 0.7 mm sheet metal in RAL 9005 black colour.

Factory-placed on door leaf surface. Designed for plain door leaves in the sliding system in non-rebated form. Not applicable to full HDF lacq. door leaves.

OPENWORK can be made on both sides of the door leaf – price x2.

Width available in norm PL
80, 90, 100



Additional charge:
Round steel pull handle, black, 1 set.



BAND

100 OR

Band dedicated for the adjustable door frame standard with 60x45 mm architrave



AVAILABLE DECORS:

FINISH – BAND COVERED: **FINISH FOIL**, **3D FOIL**, **CPL LAMINATE**, **PP PLATINIUM**



*decor available while stocks last

PROTECTIVE PANEL



Protective panel inox centre (two sides)




Protective panel inox bottom (two sides)




Protective panel inox ventilation (two sides)




Protective panel with ventilation – dimensions for a door leaf with a width of "80", rebated door leaf, obverse side




Central protective panel with holes for bathroom lock/key/cylinder




Central protective panel with holes for the economic lock




STEEL VENTILATION GRILL



AVAILABLE COLOURS:



SKIRTING BOARD




Skirting boards packaged in sets of 5 pcs., length 2050 mm.
Skirting boards are only sold in a set.

Skirting board 80x16x2050 mm / 1 set

AVAILABLE OPTION AT AN EXTRA CHARGE:
– MOUNTING BRACKETS FOR SKIRTING BOARD, 1 SET (30 PIECES)



AVAILABLE DECORS: FINISH – SKIRTING BOARD COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last

DECORATIVE LAMELLAS



Lamellas – a decorative component designed for both wall and ceiling decoration.

A lamella consists of two components:

- mounting strip, mounted directly on the wall or ceiling using the assembly adhesive or screws
- “U”-profile covered with decorative foil, installed on the mounting strip.

The lamella is made of MDF board and covered with foil:

FF, 3D, CPL, PP

Lamellas packaged in sets of 4 pieces.
Length 2800 mm.
Package weight: 14 kg.
The lamellas are only sold in a set




Due to the non-standard dimensions of the packaging (length over 2800 mm), additional transport costs must be added in some cases:


- weight up to 30 kg (1-2 sets)
- weight up to 500 kg

For any additional transport costs, please ask at the point of sale.

Unedged lamellas – to be cut by oneself.



Mounting strip



Decorative strips (length 2800)

AVAILABLE DECORS: FINISH – LAMELLA COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



* decor available while stocks last

HANDLES



APOLLO Fit **NEW**



chrome



chrome matt



gold




gold matt



titanium



black



HANDLES AND ESCUTCHEON FIT 6 MM

KSH **NEW**



chrome



chrome matt



gold matt



black



chrome



gold matt



black

ESCUTCHEON RFQ
KEY, CYLINDER
BATHROOM LOCK

Escutcheons also available in:
gold, titanium, chrome matt

POLO **NEW**



chrome matt



black



gold matt



chrome matt



black



gold matt

ESCUTCHEON RRT
KEY, BATHROOM
LOCK
ESCUTCHEON RFQ
CYLINDER

GAMELLO **NEW**



chrome/titanium



black



chrome




black

ESCUTCHEON RCC
KEY, CYLINDER
BATHROOM LOCK

HANDLES

Handles on a square rose slim-type



ADEL-QRS Slim



ELENA-QRS Slim



DENVER-QRS Slim




ESCUTCHEON QRS-SLIM
KEY, CYLINDER
BATHROOM LOCK



Handles on a square rose

QUBIK-QR



FOKUS-QR



ONYX-QR



JARO-QR ECO



AXE-QR



TIPO-QR



HANDLES

NEMO-QR



nickel lacquered

PRESTO-QR



chrome lacquered /
nickel lacquered

ESCUTCHEON QUADRO-QR
KEY, CYLINDER
BATHROOM LOCK



chrome lacquered / nickel lacquered



nickel lacquered



nickel satin velvet



chrome



titanium



black

MAFF-QR



chrome lacquered / anthracite,
chrome lacquered / nickel lacquered

ERIS-QR



chrome lacquered / nickel lacquered

ENE-QR



chrome lacquered / nickel lacquered

TIK-QR



chrome lacquered / anthracite

ESCUTCHEON QUANTA-QR
KEY, CYLINDER
BATHROOM LOCK



chrome lacquered / nickel lacquered



chrome lacquered / anthracite

ESCUTCHEON KW-QR
KEY, CYLINDER
BATHROOM LOCK



chrome lacquered / nickel lacquered

Handles on a round rose

PILLAR-R **NEW**



black / gold

JARO-R ECO



chrome lacquered / nickel lacquered

MIA-R **NEW**



nickel lacquered



gold



black

ROMANA-R



chrome lacquered / nickel lacquered



bronze grafiatto



black

ONYX-R



chrome lacquered / white



chrome lacquered / black



black

TIPO-R



bronze grafiatto



nickel lacquered

ESCUTCHEON
KEY, CYLINDER
BATHROOM LOCK



chrome lacquered / nickel lacquered



bronze grafiatto



chrome lacquered



nickel lacquered



gold



black

HANDLES




ACCESSORIES

Handles on the backplate

CANTORO NEW

HANDLE, CYLINDER/KEY
BATHROOM LOCK



black

nickel lacquered

JARO-ECO

HANDLE, CYLINDER/KEY
BATHROOM LOCK



chrome lacquered / nickel lacquered

MIA NEW

HANDLE, CYLINDER/KEY
BATHROOM LOCK



black

nickel lacquered

Handles for interior entrance doors

POLANKA



black

nikiel


SHARK



black

stainless steel

ONTARIO



black

stainless steel

Handles for fire-resistant doors



SIGMA-QR



stainless steel



ESCUTCHEON
SN04, CYLINDER

AHW



stainless steel



ESCUTCHEON
AHW

UNO



stainless steel



stainless steel



black



black

Hinge covers (1 pc. – hinge)



Chrome
lacquered
M6

Nickel
lacquered
M9

Black



3D HINGE CAPS FOR NON-REBATED
DOOR
colour: black

3D HINGE CAPS FOR REVERSIBLE
DOORS
colour: black

BRASS VENTILATION SLEEVES



Chrome
lacquered M6

Nickel
lacquered M9

Brass
grafiatto M3

Cylinders for interior doors

Description	Colour
CYLINDER 26/36 M2	Brass
CYLINDER 26/36 M9	Nickel
Cylinder 26/36G M2	Brass
Cylinder 26/36G M9	Nickel
CYLINDER 31/31 M2	Brass
CYLINDER 31/31 M9	Nickel
CYLINDER 31/31G M2	Brass
CYLINDER 31/31G M9	Nickel

Cylinders for interior entrance door

Nazwa	Colour
CYLINDER 31/46 M6	Chrome
CYLINDER 31/46 M9	Nickel
CYLINDER 31/46G M6	Chrome
CYLINDER 31/46G M9	Nickel
CYLINDER 31G/46 M6	Chrome
CYLINDER 31G/46 M9	Nickel



Hinge 1 pc. for the door leaf
and both adjustable and
fixed reinforced door frame
with a socket.
Not available in norm CZ and
models: Q, X, Y, V, UVERO,
VARADERO and full plain
rebated H220

CYLINDER AND
CYLINDERKNOB
"WILKA" with single
key system for interior
entrance doors.



round steel pull handle
colour: silver, black



finger pull
colour: silver, black



oval steel pull handle
colour: silver, black




Hook lock +
escutcheon key/
bathroom lock
colour: silver, black



DOOR CLOSER


FOR WALL-MOUNTED OR POCKET SLIDING DOOR SYSTEM

DOOR CLOSER – slows down the movement of the door leaf in the final phase of closing, while sliding it gently towards the door frame. It increases the safety of use of the door and prevents the door leaf from hitting the beam.
For interior door leaves, except for glass door leaves.



SYNCHRONIZATION TO DOUBLE SYSTEM

It synchronises the movement of door leaves in the double system: moving one of the door leaves of the system causes a symmetrical movement of the other door leaf.
For interior doors, excluding glass doors.



SEALS

Pressed seal for the frame of interior doors – set 5 lm.



dedicated to adjustable, fixed door frames
dedicated to casing door frame

door frame colour

seal colour						
EXTRA BEIGE	BROWN-GREY	WHITE	BLACK	ZINC GREY	GRAPHITE GREY	SILVER 62
ACACIA MORAVA	ANTHRACITE	WHITE	BLACK MATT	ARCTIC OAK	GRAPHITE MATT	PINE
MONTANA OAK	ANTIQUE OAK	BIANCO	CARBON OAK	POLAR OAK	STILL	
OIL OAK	OAK CPL	WHITE MATT.	DARK NAVY	SILVER OAK		
OREGON OAK	OLD OAK	NORWEGIAN OAK	CLAY	GRAU		
SAND OAK CPL	MUSCATO WALNUT	CANADIAN OAK		PARIS		
CASHMERE	COPPER					
SONOMA OAK	PALERMO WALNUT					
LATTE OAK						
BAVARIA OAK						
ASH CPL						
WHITE WALNUT						
ITALIAN WALNUT						
CARAMEL OAK						
AUREA OAK						
ALPIN OAK						

RED	BLUE	YELLOW
HAVANA	PANAMA	BAHAMA

NOTE: A colour difference may occur between the seal used in the frame and the folding door leaf.

MASKING BANDS



ACCESSORIES



Masking band
60x8x5500 mm, 5,5 lm
FF, 3D, CPL, PP



Soft masking band
70x12x5500 mm, 5,5 lm
FF, 3D, CPL, PP



Masking quarter round
18x18x5500 mm
FF, 3D, CPL, PP

1 set per side of the door frame

ELECTRIC STRIKE

Available types of 12 V electric strikes:
– 1410-12 AC/DC (normally closed, apply voltage to open)
– 1411-12 DC (normally open, apply voltage to close)
– 1420-12 AC/DC (with switch, normally closed, apply voltage to open, manual switch by moving the latch)

The electric strike is available for the following door frames:
– adjustable V-RETTO standard, p. 188
– adjustable standard, p. 190-191
– fixed, p. 193




AUTOMATIC THRESHOLD



Door leaf with automatic threshold



Door leaf without automatic threshold
AUTOMATIC THRESHOLD – APPLICABLE TO FRAME AND PANEL DOOR LEAVES



- Mounted in the lower part of the door leaf
- Automatic, gradual descent when closing the door
- Increased sound absorption
- Accurate, constant seal pressure enables opting out of the standard threshold
- Simple pressure force adjustment"

TECHNICAL INFORMATION



RIGHT DOOR LEAF



LEFT DOOR LEAF



REBATED DOOR LEAF



NON-REBATED DOOR LEAF




REVERSE DOOR LEAF
OPENING DIRECTION OF REVERSE DOOR LEAVES – P. 110


REBATED SINGLE DOOR LEAVES

Voster door leaves are compatible with all door frames in accordance with Polish building norm.

- Standard door leaf width: “60”, “70”, “80”, “90”.
- “100” width – frame door leaves (not applicable to Kubus, Lupus, Mediolan, Evi, Piano, Tago, Fado), additional charge.
- “100” width – panel door leaf (not applicable to Perla model), additional charge.
- The lock features the single key turn option.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction.
- Plain door leaves (honeycomb) width 100 and door leaves reinforced with solid board width 60-100 are equipped with three hinges.



REBATED SINGLE DOOR LEAVES H220



It is not allowed to cut door leaves: sliding, double, folding, with an automatic threshold, glass door models, or those with glass inserts within the cutting area, door leaves with lamellas, intarsia, and full-height pull handles.

For framed door leaves, the Polish norm allows cutting by up to 4 cm (Loft model 2 cm), and the Czech norm allows cutting by up to 3 cm.


Cutting the door leaf to the above-mentioned heights does not result in a significant loss of the structural strength parameters.

Cutting of panel door leaves with a full panel filling is allowed up to 4 cm.


NON-REBATED SINGLE DOOR LEAVES




- Standard door leaf width: "60", "70", "80", "90".
- "100" width – non-rebated frame door leaves: additional charge.
- "100" width – panel door leaf: additional charge.
- When choosing the door in size "100", it is recommended to use a 3rd hinge.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction.
- There may be a slight colour and structure difference between the ABS edge and the door leaf surface.



NON-REBATED SINGLE DOOR LEAVES H220



REVERSE






FRAME DOOR LEAVES
PLATINIUM FRAME DOOR LEAVES




- Massive structure
- 3 screw-in 1-pintle hinges
- 3 adjustable 2-pintle hinges – PLATINIUM COLLECTION
- Innovative way to cover frames: no edge.
- Softwood styles – PLATINIUM COLLECTION
- Rigid, stable structure.
- High resistance to mechanical impacts.
- No glazing bead.
- Tempered glass.
- VSG glass – option for an extra charge.
- DARK GREY glass – option for an extra charge.
- The smooth side of the glass is on the wider side of the door leaf.
- The glass can be made reversed – no extra charge.
- The lock features the single key turn option.
- The frame door leaf can be undercut by oneself up to 4 cm in norm PL (LOFT door leaf – max. 2 cm), 3 cm in norm CZ, without losing the warranty – not applicable to sliding door leaves and double-leave doors.

- In rebated door leaves, the smooth side of the glass is positioned on the wider side of the leaf. In non-rebated door leaves, the smooth side of the glass is positioned on the opening side of the leaf.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction. The manufacturer reserves that there may be differences in the translucency and colour of the glasses made using the screen printing technology compared to the glasses installed in exhibition door leaves or earlier production batches of door leaves.
- The door leaf can be made without drill for the key (economy lock) – no extra charge.
- The centre components of the door leaf MOBI, DUO can be made of both solid mdf board or cellular wood board, resulting in a difference in the weight of the door leaf. However, it has no impact on product quality and strength.

REBATED DOOR LEAF IN NORM CZ



BOTTOM RAIL



BOTTOM RAIL
NORM CZ

Bottom rail height in norm CZ:
door leaf DUO: 359 mm (406 mm PL),
rebated door leaf MOBI: 342 mm (389 mm PL),
door leaf VINCI, BELLO, MEDIOLAN: 133 mm (180 mm PL).
Non-rebated door leaves in norm CZ – lower profile with 47 mm undercut.
Door leaves: MONO, VENTO (IV, SPHAGETTI), PLATO – not available in the norm CZ.



PANEL DOOR LEAVES

Options for stabilizing filling




Honeycomb – standard




Reinforcement – solid board – option at an extra charge

VENTILATION SOLUTIONS



VENTILATION UNDERCUT



VENTILATION UNDERCUT OF MODERNO, LAMELO, MAGNETIC L, INTARSIA 40




VENTILATION SLEEVES:
- leaf width "60", "70" - 4 pcs



VENTILATION SLEEVES:
- leaf width "80", "90" - 5 pcs.

PVC grill ventilation sleeve – Ø 47 mm.
Brass ventilation sleeve – Ø 40 mm.

FRAME DOOR LEAVES




internal cross-section

Solid – massive stiles construction (no honeycomb)



RECUPERATIVE SHORTCUT



Panel door leaf with recuperative shortcut




Frame door leaf with recuperative shortcut

Recuperation requirements: According to the applicable technical conditions for buildings where a recuperation system is used, it is recommended that interior doors be equipped with a gap placed at the bottom of the door leaf with an area no smaller than 0.008 m². This requirement is met for doors with a size of "80" with a standard clearance. For dimensions below this, it is recommended to use one of the available ventilation options or to undercut the door leaf.

Requirements for sanitary rooms: Interior doors may be used in sanitary rooms if they open outward, have at least 0.8 m in width, 2 m in height in the clear opening of the frame, and provide an air intake in the lower part of the door to the sanitary room, which is not smaller than 0.022 m². In the Voster offer, for panel and frame door leaves, there is a recuperative undercut that meets the above condition. These door leaves are 18 mm shorter than standard ones, while maintaining the standard frame height.*

*except for glass doors, Magnetic L, folding, sliding, double-leaf doors, fire-resistant, openwork, and doors with an automatic threshold.

SLIDING DOOR LEAF



* applicable to LOFT door leaves



right sliding door leaf



left sliding door leaf


sliding door leaves
- 360° cover of stiles




invisible edge

Panel door leaves structure


Panel door leaves construction



Rebated door leaf
Bulaj



Non-rebated door leaf
Bulaj



DOUBLE DOOR



Rebated double doors

Dimension symbol	dimensions [mm]		
	SZ	SW	Combination: active leaf (A) + passive leaf (B)
100D	1078	1052	744+344*, 644+444
110D	1178	1152	844+344*, 744+444, 644+544
120	1278	1252	944+344*, 844+444, 744+544, 644+644
130	1378	1352	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1478	1452	1044+444, 944+544, 844+644, 744+744, 644+844
150	1578	1552	1044+544, 944+644, 844+744, 744+844, 644+944
160	1678	1652	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1778	1752	1044+744, 944+844, 844+944, 744+1044
180	1878	1852	1044+844, 944+944, 844+1044
190	1978	1952	1044+944, 944+1044
200	2078	2052	1044+1044

*dimension "30" (344) only for full plain door leaves




Price of double-leaf doors = price of the door leaf x2 + surcharge


Frame door leaves with the width of "40" and "50" do not have tempered glass. There may be a colour difference in the glass.
Panel door leaves width "30", "40", "50", available without glazing.
Frame door leaf collections: Mediolan, Bello, Kubus, Rocco, Tango, Evi, Piano, Kano, Fado, Varadero, Uvero are not available in W "40", "50".

dimensions (mm)				
	A	B	C	D
100D	1036	1058	1124	1148
110D	1136	1158	1224	1248
120	1236	1258	1324	1348
130	1336	1358	1424	1448
140	1436	1458	1524	1548
150	1536	1558	1624	1648
160	1636	1658	1724	1748
170	1736	1758	1824	1848
180	1836	1858	1924	1948
190	1936	1958	2024	2048
200	2036	2058	2124	2148

Rebated double doors - fixed door frame



Rebated double doors- adjustable door frame



dimensions (mm)						
	A'	B'	C'	D'	E' (dla 60)	E' (dla 80)
100D	1036	1058	1080	1110	1178	1218
110D	1136	1158	1180	1210	1278	1318
120	1236	1258	1280	1310	1378	1418
130	1336	1358	1380	1410	1478	1518
140	1436	1458	1480	1510	1578	1618
150	1536	1558	1580	1610	1678	1718
160	1636	1658	1680	1710	1778	1818
170	1736	1758	1780	1810	1878	1918
180	1836	1858	1880	1910	1978	2018
190	1936	1958	1980	2010	2078	2118
200	2036	2058	2080	2110	2178	2218

Non-rebated double doors

Dimension symbol	dimensions [mm]	
	SZ	Combination: active leaf (A) + passive leaf (B)
100D	1078	744+344*, 644+444
110 D	1178	844+344*, 744+444, 644+544
120	1278	944+344*, 844+444, 744+544, 644+644
130	1378	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1478	1044+444, 944+544, 844+644, 744+744, 644+844
150	1578	1044+544, 944+644, 844+744, 744+844, 644+944
160	1678	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1778	1044+744, 944+844, 844+944, 744+1044
180	1878	1044+844, 944+944, 844+1044
190	1978	1044+944, 944+1044
200	2078	1044+1044

*dimension "30" (344) only for full plain door leaves


Price of double-leaf doors = price of the door leaf x2 + surcharge

Frame door leaves with the width of "40" and "50" do not have tempered glass. There may be a colour difference in the glass.
Frame door leaf collections: Mediolan, Bello, Kubus, Rocco, Tango, Evi, Piano, Kano, Fado, Varadero, Uvero are not available in width "40", "50".
The LOFT and MAGNETIC collection are not available for double door.




Dimension symbol	dimensions [mm]			
	A	B	C	D
100D	1062	1084	1150	1174
110 D	1162	1184	1250	1274
120	1262	1284	1350	1374
130	1362	1384	1450	1474
140	1462	1484	1550	1574
150	1562	1584	1650	1674
160	1662	1684	1750	1774
170	1762	1784	1850	1874
180	1862	1884	1950	1974
190	1962	1984	2050	2074
200	2062	2084	2150	2174

Non-rebated double doors – V-retto fixed door frame



Non-rebated double doors – V-retto adjustable door frame



Dimension symbol	dimensions [mm]				
	A'	B'	C'	D'	E'
100D	1062	1084	1106	1136	1244
110D	1162	1184	1206	1236	1344
120	1262	1284	1306	1336	1444
130	1362	1384	1406	1436	1544
140	1462	1484	1506	1536	1644
150	1562	1584	1606	1636	1744
160	1662	1684	1706	1736	1844
170	1762	1784	1806	1836	1944
180	1862	1884	1906	1936	2044
190	1962	1984	2006	2036	2144
200	2062	2084	2106	2136	2244

Double door opening directions

Passive left door leaf / active right door leaf



Active left door leaf / passive right door leaf





Thickness 4 mm.
Tempered glass.
Smooth on both sides.

TRANSPARENT GRAPHITE GLASS




Thickness 4 mm.
Tempered glass.
There is a smooth side and a matt side.

WHITE PAINTED GLASS




Thickness 4 mm.
Tempered glass.
Smooth on both sides.

TRANSPARENT GLASS



Thickness 4 mm.
Safe glass.
Smooth on both sides.

WHITE VSG 2.2.1 (2x2 mm) GLASS



Thickness 4 mm.
Tempered glass.
There is a smooth side and a matt side.

DARK GREY, GRAPHITE MATT GLASS



Thickness 4 mm.
Tempered glass with a white application, which is applied to the opening side of the leaf.
Smooth on both sides.

GLASS WITH APPLICATION LOFT "20", "30"




Thickness 4 mm.
Tempered glass.
There is a smooth side and a matt side.

BLACK PAINTED GLASS



Thickness 4 mm.
Tempered glass.
There is a smooth side and a matt side.

TEMPERED GLASS



Thickness 4 mm.
Safe glass.
Smooth on both sides.

BLACK VSG 2.2.1 (2x2 mm) GLASS



Thickness 4 mm.
Tempered glass with a black application applied to the matt side.
There is a smooth side and a matt side.

GLASS WITH KUBUS APPLICATION



Thickness 4 mm.
Tempered glass with a white application applied to the matt side.
There is a smooth side and a matt side.

GLASS WITH TANGO APPLICATION



Thickness 8 mm.
Tempered glass with a white application applied to the matt side.
There is a smooth side and a matt side.

GLASS WITH SPAGHETTI APPLICATION



Thickness 8 mm.
Tempered glass.
There is a smooth side and a matt side.

PLATO WHITE GLASS



Thickness 8 mm.
Tempered glass.
Smooth on both sides.

PLATO TRANSPARENT GRAPHITE GLASS




Thickness 8 mm.
Tempered glass with transparent application.
There is a smooth side and a matt side.

GLASS WITH VENTO IV APPLICATION



Thickness 8 mm.
Tempered glass.
Smooth on both sides.

PLATO TRANSPARENT GLASS



Thickness 4 mm.
Tempered glass.
There is a smooth glossy side.

BLACK LACOBEL GLASS



Thickness 4 mm.
There is a smooth side and a matt side.


SATIN GLASS

* The presented photos are for illustrative purposes only; transparency depends on the intensity of light and the proximity of objects. Information about glazing availability can be found individually for each model.

ADJUSTABLE DOOR FRAME V-RETTO (TUNNEL TYPE)




DIMENSIONS (MM)								
DOOR FRAME WIDTH	A	B	C	D	E	F	G	H
60	602	624	686	784	2018 PL 1971 CZ 2188 for H220	2029 PL 1982 CZ 2199 for H220	2109 PL 2062 CZ 2279 for H220	2060 PL 2013 CZ 2210 for H220
70	702	724	786	884				
80	802	824	886	984				
90	902	924	986	1084				
100	1002	1024	1086	1184				
105	1052	1074	1136	1234				
110	1102	1124	1186	1284				
115	1152	1174	1236	1334				
120	1202	1224	1286	1384				
125	1252	1274	1336	1434				
130	1302	1324	1386	1484				
135	1352	1374	1436	1534				
140	1402	1424	1486	1584				
145	1452	1474	1536	1634				
150	1502	1524	1586	1684				
155	1552	1574	1636	1734				
160	1602	1624	1686	1784				
165	1652	1674	1736	1834				
170	1702	1724	1786	1884				
175	1752	1774	1836	1934				
180	1802	1824	1886	1984				
185	1852	1874	1936	2034				
190	1902	1924	1986	2084				
195	1952	1974	2036	2134				
200	2002	2024	2086	2184				



ADJUSTABLE DOOR FRAME (TUNNEL TYPE)



DIMENSIONS (MM)										
DOOR FRAME WIDTH	A	B	C	D1 (BAND 60)	D2 (BAND 80)	E	F	G1 (BAND 60)	G2 (BAND 80)	H
60	602	624	686	744	784	2018 PL 1971 CZ	2029 PL 1982 CZ	2089 PL 2042 CZ	2109 PL 2062 CZ	2060 PL 2013 CZ
70	702	724	786	844	884					
80	802	824	886	944	984					
90	902	924	986	1044	1084					
100	1002	1024	1086	1144	1184					
105	1052	1074	1136	1194	1234					
110	1102	1124	1186	1244	1284					
115	1152	1174	1236	1294	1334					
120	1202	1224	1286	1344	1384					
125	1252	1274	1336	1394	1434					
130	1302	1324	1386	1444	1484					
135	1352	1374	1436	1494	1534					
140	1402	1424	1486	1544	1584					
145	1452	1474	1536	1594	1634					
150	1502	1524	1586	1644	1684					
155	1552	1574	1636	1694	1734					
160	1602	1624	1686	1744	1784					
165	1652	1674	1736	1794	1834					
170	1702	1724	1786	1844	1884					
175	1752	1774	1836	1894	1934					
180	1802	1824	1886	1944	1984					
185	1852	1874	1936	1994	2034					
190	1902	1924	1986	2044	2084					
195	1952	1974	2036	2094	2134					
200	2002	2024	2086	2144	2184					




FIXED DOOR FRAME

(TUNNEL TYPE)



DIMENSIONS (MM)						
DOOR FRAME WIDTH	A	B	C	D	E	F
60	602	690	714	2018 PL 1971 CZ	2062 PL 2016 CZ	2074 PL 2028 CZ
70	702	790	814			
80	802	890	914			
90	902	990	1014			
100	1002	1090	1114			
105	1052	1140	1164			
110	1102	1190	1214			
115	1152	1240	1264			
120	1202	1290	1314			
125	1252	1340	1364			
130	1302	1390	1414			
135	1352	1440	1464			
140	1402	1490	1514			
145	1452	1540	1564			
150	1502	1590	1614			
155	1552	1640	1664			
160	1602	1690	1714			
165	1652	1740	1764			
170	1702	1790	1814			
175	1752	1840	1864			
180	1802	1890	1914			
185	1852	1940	1964			
190	1902	1990	2014			
195	1952	2040	2064			
200	2002	2090	2114			




CASING DOOR FRAME

(TUNNEL TYPE)



DIMENSIONS (MM)								
DOOR FRAME WIDTH	A	B	C	D (BAND 80)	E	F	G2 (BAND 80)	H
60	548	570	598	730	1991 PL 1944 CZ	2002 PL 1955 CZ	2082 PL 2035 CZ	2018 PL 1971 CZ
70	648	670	698	830				
80	748	770	798	930				
90	848	870	898	1030				
100	948	970	998	1130				
105	-	-	-	-				
110	1048	1070	1098	1230				
115	-	-	-	-				
120	1148	1170	1198	1330				
125	-	-	-	-				
130	1248	1270	1298	1430				
135	-	-	-	-				
140	1348	1370	1398	1530				
145	-	-	-	-				
150	1448	1470	1498	1630				
155	-	-	-	-				
160	1548	1570	1598	1730				
165	-	-	-	-				
170	1648	1670	1698	1830				
175	-	-	-	-				
180	1748	1770	1798	1930				
185	-	-	-	-				
190	1848	1870	1898	2030				
195	-	-	-	-				
200	1948	1970	1998	2130				



PERLA
p. 130-131



INTARSIA
p. 126-129



MAGNETIC
p. 120-121



SELVA
p. 166-169



The arrangements show door leaves with a width of "80".
For other widths, the proportions of glazing and glazing profiles will differ.
The presented photos and decors presented may differ in colour from the original products.
Before installing the door, please read the installation instructions and warranty conditions.
Voster reserves the right to change prices and offers without prior notice.

Heze

furniture for every lifestyle

Little Fields Way, Oldbury, B71 3PW, United Kingdom

☎ 0121 448 70 30 📞 0790 700 68 02

www.heze.co.uk

ALL INFORMATION INCLUDED IN THE CATALOGUE DOES NOT CONSTITUTE AN OFFER WITHIN THE MEANING OF THE CIVIL CODE AND IT IS ONLY PUBLISHED FOR REFERENCE.